

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

Thomas B. Meehan

J. Franklin Meehan

S. Mendelson Meehan

Founded 1854 by Thomas Meehan

Thomas Meehan & Sons

WHOLESALE NURSERYMEN

TRADE LIST

Spring, 1911

PRICES NET
NO DISCOUNTS

THIS CATALOGUE CANCELS
ALL PREVIOUS PRICE LISTS



WHOLESALE DEPARTMENT

Dresher P. O., Montgomery County, Penna.

Postal Telegraph, Dresher, Pa.

Western Union, Ambler, Pa.

Bell Telephone, Ambler 226

275 ACRES

TRADE LIST

Spring, 1911

CUSTOMERS are requested to state the mode of conveyance by which they desire their trees forwarded. When no route is named, we forward to the best of our judgment, without liability for error or delay.

RESPONSIBILITY.—After goods are placed on board cars here, we assume no responsibility for their safe or prompt delivery, or any injury caused by delay in delivery by the transportation company.

ALL CLAIMS must be made upon receipt of goods.

TERMS CASH, on or before delivery to express or railroad agents, unless by special arrangement.

Two hundred and fifty, twenty-five or five of any one variety will be furnished at the thousand, hundred and ten rates, respectively, but single plants of one or more varieties will not be sold at less than 15 cents each, except Vines and Herbaceous Plants, the minimum price of which will be 10 cents each.

PACKING CHARGED EXTRA, but only sufficient to cover cost of time and material consumed in the work.

POST OFFICE ORDERS payable at Dresher P. O., Montgomery Co., Pa.

POSTAL TELEGRAPH OFFICE, DRESHER, PA. WESTERN UNION, AMBLER, PA. Use Nurserymen's Telegraphic Code or "A. B. C." Code, 4th Edition.

VISITORS are always welcome and should take train at the Reading Terminal, 12th and Market Streets, Philadelphia, for **Camp Hill Station**, or at Broad Street Station, Pennsylvania R. R., for **Fort Hill Station**. Be sure that the train you take stops at these stations.

NOTICE.—It is necessary that you should **TELEPHONE** us (Bell Phone, 226 Ambler; Keystone Phone, Jenkintown 652-Y), in advance of your coming, so that we can send a carriage to the station for you. Our office is 2½ miles from either station.

CERTIFICATE OF INSPECTION

Our nurseries are inspected several times each year, by inspectors of the Entomological Division of the Department of Agriculture of the State of Pennsylvania, and are free from insect pests and diseases. A certificate of the Department is attached to all shipments, and will also be furnished to customers if desired.

Deciduous Trees

Several years ago we realized that there would shortly be a demand for a better grade of shade trees than were being commonly sold in nurseries at that time. With this idea in mind we commenced transplanting large blocks of all varieties, selecting only nice, straight, first-class trees for the purpose, discarding any crooked or ill-shaped stock. Time has proven the wisdom of our foresight, and while the demand for this class of stock has been greater than our expectation, our supply has been sufficient to meet the demand, and though our sales last year on these trees were very heavy we still have a good supply on hand for this season's sales.

Our object is to grow a first-class tree, well rooted, with straight trunk and a nice top and we spare no expense to produce a tree of this character. All crooked trees are discarded. Every tree we send out is a good tree. We stake all of our trees with long bamboo poles and in that way we get not only a perfectly straight trunk, but a stem right to the top of the tree. This should be kept in mind when comparing our prices with the "cheap" trees usually offered.

Notice.—When ordering trees, be sure to specify both the height and caliper, as shown in the catalogue. It will be noticed that in many instances trees of the same height are of different calliper and in others they are the same calliper but different height.

Acer campestre, English Cork Maple

| | Per 10 | Per 100 | Per 1000 |
|------------------------|--------|---------|----------|
| 2 to 3 ft..... | 2 00 | 18 00 | |
| 3 to 4 ft., bushy..... | 2 50 | 23 00 | |
| 4 to 5 ft., bushy..... | 3 50 | 30 00 | |
| 5 to 6 ft., bushy..... | 4 00 | | |
| 8 to 9 ft..... | 6 50 | | |

" dasycarpum, Silver Maple

| | | | |
|-----------------------|-------|-------|--|
| 8 to 10 ft..... | 3 50 | 30 00 | |
| 1¾ to 2 in. cal..... | 6 50 | | |
| 2 to 2¼ in. cal..... | 7 50 | | |
| 2¼ to 2½ in. cal..... | 10 00 | | |
| 2½ to 2¾ in. cal..... | 12 50 | | |
| 2¾ to 3 in. cal..... | 15 00 | | |

" dasycarpum Weirii, Weir's Cut-leaf Maple

| | | | |
|-----------------------|------|--|--|
| 8 to 10 ft..... | 5 00 | | |
| 1¼ to 1½ in. cal..... | 6 00 | | |
| 1½ to 2 in. cal..... | 7 50 | | |

Per 10 Per 100 Per 1000

" *negundo*, Ash-leaved Maple, Box Elder

| | | |
|-----------------|------|-------|
| 4 to 5 ft..... | 1 50 | 15 00 |
| 5 to 6 ft..... | 1 75 | 16 00 |
| 6 to 8 ft..... | 2 00 | 18 00 |
| 8 to 10 ft..... | 2 50 | 23 00 |

" *Pennsylvanicum*, see *striatum*" *platanoides*, Norway Maple

| | | |
|----------------------------------|-------|--------|
| 5 to 6 ft..... | 2 50 | 20 00 |
| 6 to 8 ft..... | 3 00 | 27 00 |
| 8 to 10 ft 1 to 1¼ in. cal..... | 4 00 | 40 00 |
| 1¼ to 1½ in. cal..... | 5 50 | 55 00 |
| 1½ to 1¾ in. cal..... | 10 00 | 100 00 |
| 2¼ to 2½ in. cal..... | 17 50 | 175 00 |
| 2½ to 2¾ in. cal..... | 22 50 | 225 00 |
| 2¾ to 3 in. cal..... | 25 00 | |
| 3 to 3½ in. cal..... | 30 00 | |
| 1½ to 1¾ in. cal., specimen..... | 15 00 | 150 00 |
| 1¾ to 2 in. cal., specimen..... | 17 50 | 175 00 |
| 2 to 2¼ in. cal., specimen..... | 20 00 | 200 00 |
| 2¼ to 2½ in. cal., specimen..... | 22 50 | |
| 2½ to 2¾ in. cal., specimen..... | 25 00 | |

We take a great deal of pride in our Norway Maples. We believe there are no finer trees in the country. All trees quoted have been once or more transplanted within the last three years. All crooked trees were discarded when the stock was transplanted, and every tree we send out has a good straight trunk with good heads and an abundance of fibrous roots. The "specimen" trees have been growing five by five feet apart in the nursery rows, giving ample opportunity to develop good well shaped heads.

" *platanoides Reitenbachii*, Purple-leaved Norway Maple

| | | |
|-----------------------|-------|--|
| 1½ to 1¾ in. cal..... | 13 50 | |
| 1¾ to 2 in. cal..... | 15 00 | |

The Reitenbach Maple is a purple-leaved variety. The color is not as strong when the leaves first come out in the spring, but it develops later and retains the color better than the *Schwedlerii* during the summer months.

" *platanoides Schwedlerii*, Purple-leaved Norway Maple

| | | |
|-----------------------|-------|--------|
| 1 to 1¼ in. cal..... | 6 50 | 65 00 |
| 1¼ to 1½ in. cal..... | 8 50 | 85 00 |
| 1½ to 1¾ in. cal..... | 10 00 | 100 00 |
| 1¾ to 2 in. cal..... | 15 00 | 150 00 |

Both the Reitenbach and Schwedler Maples were transplanted three years ago. They are selected trees with perfectly straight trunks and good tops.

" *platanoides globosa*, globe-headed Norway Maple

| | | |
|------------------------------------|------|--|
| 4 to 5 ft., 2 to 3 ft., stems..... | 7 50 | |
|------------------------------------|------|--|

" *pseudo-platanus*, Sycamore Maple

| | | |
|----------------------------------|-------|--------|
| 1½ to 1¾ in. cal..... | 7 50 | 75 00 |
| 1¾ to 2 in. cal..... | 10 00 | 100 00 |
| 2 to 2¼ in. cal., specimen..... | 15 00 | 150 00 |
| 2¼ to 2½ in. cal., specimen..... | 17 50 | 175 00 |
| 2½ to 2¾ in. cal., specimen..... | 20 00 | |
| 3 to 3½ in. cal., specimen..... | 25 00 | |

Selected trees, straight trunks, transplanted three years.

| | Per 10 | Per 100 | Per 1000 |
|--|--------|---------|----------|
| " pseudo-purpurea, Purple-leaved Sycamore Maple | | | |
| 1½ to 1¾ in. cal..... | 8 | 50 | |
| 1¾ to 2 in. cal..... | 12 | 50 | |
| 2 to 2¼ in. cal..... | 15 | 00 | |
| 2¼ to 2½ in. cal..... | 17 | 50 | |
| 2½ to 2¾ in. cal..... | 20 | 00 | |
| 2¾ to 3 in. cal..... | 22 | 50 | |
| These trees usually make a very crooked trunk with a low, unformed head. Our trees have perfectly straight trunks 6 to 7 feet with fine well shaped heads. | | | |
| " rubrum, Red or Scarlet Maple | | | |
| 4 to 6 ft..... | 2 | 75 | 25 00 |
| 6 to 8 ft..... | 4 | 00 | 35 00 |
| " saccharum, Sugar or Rock Maple | | | |
| 4 to 5 ft..... | 2 | 50 | 25 00 |
| 5 to 6 ft..... | 3 | 00 | 30 00 |
| 6 to 8 ft..... | 3 | 50 | 35 00 |
| 8 to 10 ft., 1 to 1¼ in. cal..... | 5 | 00 | 50 00 |
| 10 to 12 ft., 1¼ to 1½ in. cal..... | 7 | 50 | 75 00 |
| 1½ to 1¾ in. cal..... | 10 | 00 | 100 00 |
| 1¾ to 1½ in. cal., specimen..... | 10 | 00 | 100 00 |
| 1½ to 1¾ in. cal., specimen..... | 12 | 50 | 125 00 |
| 1¾ to 2 in. cal., specimen..... | 15 | 00 | |
| " saccharum nigrum, Black Sugar Maple | | | |
| 4 to 6 ft..... | 2 | 50 | 25 00 |
| 6 to 8 ft..... | 3 | 50 | 35 00 |
| 8 to 10 ft..... | 5 | 00 | 50 00 |
| 1½ to 1¾ in. cal..... | 10 | 00 | |
| 1¾ to 2 in. cal..... | 15 | 00 | |
| " striatum, (Pennsylvanicum) | | | |
| 2 to 3 ft..... | 2 | 50 | |
| 4 to 6 ft..... | 3 | 50 | |
| 6 to 8 ft..... | 5 | 00 | |
| " Tataricum | | | |
| 3 to 4 ft..... | 3 | 00 | |
| 4 to 6 ft..... | 4 | 00 | |
| " Tataricum Ginnale | | | |
| 3 to 4 ft..... | 2 | 50 | |

Japanese Maples

We have a large stock of Japanese Maples, all of our own propagation. Plants imported from Japan are crooked, ill-shaped and poorly rooted. Our plants have straight stems and good bushy, healthy tops. You will find they are well worth the difference in price. We grow some of nearly all of the varieties in pots, as they transplant much more readily in this way than from the open ground. The ball is preserved by knocking them from the clay pots and sewing the ball in burlap.

Acer Japonicum, Green-leaved

| | | |
|---|----|----|
| 2 to 3 ft., field grown..... | 10 | 00 |
| 3 to 4 ft., field grown..... | 12 | 50 |
| 4½ to 5 ft., field grown, specimen..... | 25 | 00 |
| 3 to 5 ft., 2 to 3 ft. stems, standards, field grown..... | 25 | 00 |
| 4 to 6 ft., 3 year heads, standards, field grown..... | 25 | 00 |

" Japonicum aconitifolium, Green-leaved

| | | |
|---|----|----|
| 2 to 3 ft., field grown..... | 10 | 00 |
| 3 to 3½ ft., field grown, specimen..... | 20 | 00 |
| 2 to 2½ ft., 6 in. pots..... | 12 | 50 |

" Japonicum aureum, Golden-leaved

| | | |
|-------------------------------|----|----|
| 2 to 2½ ft., field grown..... | 15 | 00 |
|-------------------------------|----|----|

Per 10 Per 100 Per 1000

" Japonicum palmatum, Green-leaved

| | | |
|--|-------|--|
| 2 to 3 ft., field grown..... | 10 00 | |
| 3 to 4 ft., field grown, specimen..... | 20 00 | |
| 4 to 5 ft., field grown, specimen..... | 25 00 | |
| 2 to 3 ft., 6 in. pots..... | 12 50 | |

" polymorphum, Green-leaved

| | | |
|--|-------|--|
| 2 to 3 ft., field grown..... | 6 50 | |
| 3 to 4 ft., field grown..... | 10 00 | |
| 4 to 5 ft., field grown, specimen..... | 15 00 | |
| 5 to 6 ft., field grown, heavy specimen..... | 20 00 | |
| 4 to 6 ft., standards, field grown..... | 17 50 | |

" polymorphum ampelopsilobum, Green-leaved

| | | |
|---|-------|--|
| 2 to 3 ft., field grown..... | 10 00 | |
| 3½ to 4 ft., field grown, specimen..... | 20 00 | |
| 4½ to 5 ft., field grown, specimen..... | 25 00 | |
| 2 to 3 ft., 6 in. pots..... | 12 50 | |

" polymorphum atropurpureum, Blood-leaved

| | | |
|---|-------|-------|
| 12 to 18 in., field grown..... | 4 00 | 35 00 |
| 18 to 24 in., field grown..... | 6 00 | 50 00 |
| 2 to 2½ ft., field grown..... | 10 00 | 75 00 |
| 2½ to 3 ft., field grown..... | 15 00 | |
| 3 to 3½ ft., field grown..... | 17 50 | |
| 3½ to 4 ft., field grown, specimen..... | 20 00 | |
| 4 to 4½ ft., field grown, specimen..... | 30 00 | |
| 4½ to 5 ft., field grown, specimen..... | 40 00 | |

" polymorphum cristatum, Green Fern-leaved

| | | |
|--------------------------------|-------|--|
| 18 to 24 in., field grown..... | 10 00 | |
| 12 to 18 in., 5 in. pots..... | 12 50 | |

" polymorphum dissectum, Green Cut-leaved

| | | |
|--|-------|--|
| 18 to 24 in., field grown..... | 10 00 | |
| 2 to 2½ ft., field grown..... | 12 50 | |
| 4 to 5 ft., field grown, heavy specimen..... | 35 00 | |
| 18 to 24 in., 6 in. pots..... | 12 50 | |
| 2 to 3 ft., 6 in. pots..... | 15 00 | |

" polymorphum dissectum atropurpureum, Purple Cut-leaved

| | | |
|---|-------|--|
| 18 to 24 in., field grown..... | 10 00 | |
| 2 to 2½ ft., field grown..... | 12 50 | |
| 2½ to 3 ft., field grown, heavy..... | 15 00 | |
| 3 to 3½ ft., field grown, specimen..... | 25 00 | |
| 3½ to 4 ft., field grown, specimen..... | 30 00 | |
| 4 to 5 ft., standards, field grown..... | 25 00 | |

" polymorphum pinnatifolium atropurpureum, Purple lance-leaved

| | | |
|---|-------|--|
| 18 to 24 in., field grown..... | 10 00 | |
| 2 to 2½ ft., field grown..... | 12 50 | |
| 2½ to 3 ft., field grown, specimen..... | 15 00 | |

" polymorphum reticulatum, Green and yellow variegated leaved

| | | |
|---|-------|--|
| 18 to 24 in., field grown..... | 10 00 | |
| 2 to 3 ft., field grown..... | 12 50 | |
| 3 to 3½ ft., field grown, specimen..... | 25 00 | |
| 2 to 2½ ft., 6 in. pots..... | 15 00 | |

" polymorphum sanguineum, Purple-leaved

| | | |
|--------------------------------|-------|--|
| 18 to 24 in., field grown..... | 6 00 | |
| 3 to 3½ ft., field grown..... | 15 00 | |
| 18 to 24 in., 5 in. pots..... | 10 00 | |
| 2 to 3 ft., 5 in. pots..... | 12 50 | |
| 3 to 3½ ft., 5 in. pots..... | 17 50 | |

Aesculus hippocastaneum, Eu. Horse Chestnut

| | | |
|-----------------------|-------|--------|
| 1¾ to 2 in. cal..... | 7 50 | |
| 2 to 2¼ in. cal..... | 12 50 | 125 00 |
| 2¼ to 2½ in. cal..... | 15 00 | |
| 2½ to 2¾ in. cal..... | 17 50 | |
| 2¾ to 3 in. cal..... | 20 00 | |
| 3 to 3½ in. cal..... | 25 00 | |

These are fine straight trees. Transplanted
three years ago.

Per 10 Per 100 Per 1000

" *hippocastaneum alba plena*, Double White Flowered.

| | | |
|-----------------------|-------|--------|
| 1½ to 1¾ in. cal..... | 10 00 | 100 00 |
| 1¾ to 2 in. cal..... | 12 50 | 125 00 |
| 2 to 2¼ in. cal..... | 15 00 | 150 00 |
| 2¼ to 2½ in. cal..... | 17 50 | 175 00 |
| 2½ to 2¾ in. cal..... | 20 00 | 200 00 |
| 2¾ to 3 in. cal..... | 25 00 | |

A fine lot of trees. Probably the largest supply in this country. Transplanted three years.

" *rubicunda*, Red Flowering

| | | |
|----------------|------|-------|
| 5 to 6 ft..... | 7 50 | 75 00 |
|----------------|------|-------|

Allanthus glandulosa, Tree of Heaven

| | | |
|----------------|------|--|
| 4 to 5 ft..... | 2 50 | |
|----------------|------|--|

Amygdalus Persica, Double Flowering Peach.—See Shrubs*Aralia*.—See Shrubs*Betula alba*, Eu. White Birch

| | | |
|----------------|------|-------|
| 3 to 4 ft..... | 1 50 | 13 00 |
| 4 to 5 ft..... | 1 75 | 15 00 |
| 5 to 6 ft..... | 2 50 | 20 00 |

" *alba laciniata*, Cut-leaf Weeping Birch

| | | |
|----------------|------|--|
| 6 to 7 ft..... | 4 00 | |
|----------------|------|--|

" *lenta*, Sweet Birch

| | | |
|-----------------|------|-------|
| 3 to 4 ft..... | 2 00 | |
| 4 to 6 ft..... | 2 50 | 25 00 |
| 6 to 8 ft..... | 3 50 | 35 00 |
| 8 to 10 ft..... | 5 00 | |

" *lutea*, Yellow Birch

| | | |
|----------------|------|--|
| 5 to 6 ft..... | 3 00 | |
| 6 to 8 ft..... | 3 50 | |

" *papyracea*, Paper Birch

| | | |
|----------------|------|-------|
| 4 to 5 ft..... | 3 00 | |
| 5 to 6 ft..... | 3 50 | 35 00 |
| 6 to 8 ft..... | 4 00 | 40 00 |

" *populifolia*, Poplar Birch

| | | |
|----------------|------|-------|
| 3 to 4 ft..... | 2 00 | 20 00 |
| 4 to 5 ft..... | 2 50 | 25 00 |

" *rubra* (*nigra*), Red or Water Birch

| | | |
|------------------------------------|-------|--------|
| 6 to 8 ft..... | 3 50 | 35 00 |
| 8 to 10 ft..... | 4 00 | 40 00 |
| 10 to 12 ft..... | 5 00 | 50 00 |
| 12 to 14 ft., 2½ to 3 in. cal..... | 12 50 | 100 00 |

Carpinus. Hornbeam.—See Shrubs*Carya amara*

| | | |
|-----------------|------|--|
| 2 to 3 ft..... | 1 50 | |
| 3 to 4 ft..... | 1 75 | |
| 4 to 6 ft..... | 3 00 | |
| 6 to 8 ft..... | 4 00 | |
| 8 to 10 ft..... | 5 00 | |

" *alba*, Shellbark

| | | |
|----------------|------|--|
| 2 to 3 ft..... | 3 50 | |
|----------------|------|--|

" *olivaeformis*, Pecan

| | | |
|------------------|------|--|
| 15 to 18 in..... | 2 00 | |
|------------------|------|--|

" *sulcata*, Western Shellbark

| | | |
|----------------|------|--|
| 2 to 3 ft..... | 1 50 | |
| 3 to 4 ft..... | 1 75 | |
| 4 to 5 ft..... | 3 00 | |

Castanea Americana, Sweet Chestnut

| | | |
|----------------|------|-------|
| 3 to 4 ft..... | 1 75 | 15 00 |
| 4 to 5 ft..... | 2 50 | 25 00 |

" *vesca*, Spanish Chestnut

| | | |
|------------------|------|-------|
| 18 to 24 in..... | 1 50 | 12 00 |
| 2 to 3 ft..... | 2 00 | |

Per 10 Per 100 Per 1000

Catalpa Bungeii, Standard

2 year heads 5 00

" Kaempferi, Japanese

| | | |
|----------------|------|-------|
| 2 to 3 ft..... | 1 25 | |
| 3 to 4 ft..... | 1 50 | 15 00 |
| 4 to 6 ft..... | 2 50 | 20 00 |
| 6 to 8 ft..... | 3 50 | |

" speciosa, Western Catalpa

| | | |
|----------------------|-------|-------|
| 8 to 10 ft..... | 3 50 | 35 00 |
| 3 to 3½ in. cal..... | 15 00 | |
| 3½ to 4 in. cal..... | 20 00 | |
| 4 to 5 in. cal..... | 25 00 | |
| 5 to 6 in. cal..... | 30 00 | |

Cedrela sinensis

| | | |
|------------------|-------|--------|
| 2 to 3 ft..... | 1 50 | 12 00 |
| 3 to 4 ft..... | 1 75 | 15 00 |
| 4 to 6 ft..... | 2 50 | 20 00 |
| 6 to 8 ft..... | 3 50 | 30 00 |
| 8 to 10 ft..... | 5 00 | 40 00 |
| 10 to 12 ft..... | 10 00 | 75 00 |
| 12 to 14 ft..... | 12 50 | 100 00 |

The value of the *Cedrela* as a shade tree, particularly for planting along streets, is not well recognized, though it is one of the best shade trees for this purpose. It is perfectly hardy in Philadelphia and the lower New England States. We have never known it to be attacked by insects or caterpillars. In cities where the streets are narrow and under the most adverse conditions, it thrives equally as well as the *Ailanthus* and its flowers are entirely free from that disagreeable odor.

Celtis occidentalis, Nettle or Hack-berry

8 to 10 ft..... 5 00

" sinensis, Chinese Hack-berry

| | |
|----------------|------|
| 3 to 4 ft..... | 2 50 |
| 4 to 5 ft..... | 3 50 |

Cerasus Japonica rosea pendula, Weeping Rose Fl. Cherry

2 year heads..... 7 50

" Padus, European Bird-Cherry

6 to 8 ft..... 3 50

" serotina, American Bird-Cherry

3 to 4 ft..... 1 50

Cercidiphyllum Japonicum

| | | |
|-----------------|-------|--------|
| 4 to 6 ft..... | 5 00 | 50 00 |
| 6 to 8 ft..... | 7 50 | 75 00 |
| 8 to 10 ft..... | 10 00 | 100 00 |

Cercis Canadensis and Japonica, see shrubs**Cladrastis tinctoria (Virgilia lutea), Yellow Wood**

8 to 10 ft..... 7 50

Cornus florida, White Flowered Dogwood

| | | |
|------------------------------|-------|--------|
| 2 to 3 ft..... | 1 75 | 15 00 |
| 3 to 4 ft..... | 2 00 | 20 00 |
| 6 to 8 ft..... | 7 50 | 75 00 |
| 8 to 10 ft..... | 10 00 | |
| 8 to 10 ft., tree form..... | 10 00 | 100 00 |
| 10 to 12 ft., tree form..... | 12 50 | 125 00 |

Per 10 Per 100 Per 1000

" florida pendula, Weeping Dogwood

2 to 2½ ft..... 3 50

" florida rubra, Red Flowered Dogwood

2 to 3 ft..... 3 50 35 00

3 to 4 ft..... 5 00 50 00

4 to 5 ft..... 6 50

" Other varieties (See Shrubs)

Crataegus (See Shrubs)

Dimorphanthus Mandschurica (See Aralia Mandschurica)

Diospyrus Virginiana, American Persimmon

5 to 6 ft..... 3 00

10 to 12 ft., 1½ to 2 in. cal..... 7 50

12 to 14 ft., 2 to 2½ in. cal..... 10 00

Fagus sylvatica, European Beech

12 to 18 in..... 75 5 00

2 to 3 ft..... 1 50 12 00

3 to 4 ft..... 2 50 20 00

These European Beech will make very satisfactory hedge plants.

" pendula, Weeping Beech

4 to 5 ft..... 7 50

6 to 8 ft..... 12 50

" heterophylla, Cut-leaved Beech

5 to 6 ft., bushy..... 7 50

6 to 8 ft., bushy..... 10 00

" purpurea, Copper Beech

2 to 3 ft..... 2 50

3 to 4 ft..... 3 50 30 00

4 to 5 ft..... 4 00 35 00

5 to 6 ft..... 5 00 40 00

6 to 8 ft..... 7 50

" Rivers' Blood-leaf Beech

5 to 6 ft..... 7 50 75 00

6 to 8 ft..... 10 00

10 to 12 ft..... 20 00

All transplanted within the last three years. They were severely cut back at the time and have made a nice growth, but the branches do not spread as much as might be expected for trees of this height but they are in fine shape for moving. All branched to the ground.

" purpurea pendula, Weeping Blood-leaf Beech

4 to 5 ft..... 15 00

Fraxinus Americana, American White Ash

4 to 6 ft..... 1 75 15 00

6 to 8 ft..... 2 25 20 00

8 to 10 ft..... 3 00 25 00

1¼ to 1½ in. cal..... 3 50 30 00

1½ to 1¾ in. cal..... 5 00 40 00

1¾ to 2 in. cal..... 6 50 60 00

1¼ to 1½ in. cal., specimen..... 5 00

1½ to 1¾ in. cal., specimen..... 7 50 75 00

1¾ to 2 in. cal., specimen..... 10 00 100 00

2 to 2¼ in. cal., specimen..... 15 00

2¼ to 2½ in. cal., specimen..... 17 50

| | Per 10 | Per 100 | Per 1000 |
|---|--------|---------|----------|
| " excelsior, English Ash | | | |
| 4 to 6 ft..... | 1 50 | | |
| 6 to 8 ft..... | 2 00 | | |
| 8 to 10 ft..... | 2 50 | | |
| 1¼ to 1½ in. cal..... | 3 50 | | |
| 1½ to 1¾ in. cal..... | 5 00 | 40 00 | |
| 2 to 2½ in. cal..... | 7 50 | 60 00 | |
| " excelsior acubaefolia | | | |
| 1 to 1½ in. cal..... | 7 50 | | |
| 1½ to 2 in. cal..... | 10 00 | | |
| " excelsior aurea pendula, Weeping Golden bark Ash | | | |
| 4 to 5 ft., 3 year heads..... | 7 50 | | |
| 6 ft. stems, 5 year heads..... | 10 00 | | |
| " excelsior heterophylla | | | |
| 1½ to 2 in. cal..... | 10 00 | | |
| " pubescens, Red Ash | | | |
| 6 to 8 ft..... | 3 00 | | |
| 8 to 10 ft..... | 4 00 | | |
| " quadrangulata, Blue Ash | | | |
| 4 to 5 ft..... | 2 00 | | |
| 2 to 2¼ in. cal..... | 7 50 | | |
| 2¼ to 2½ in. cal..... | 10 00 | | |
| " sambucifolia, Black Ash | | | |
| 4 to 6 ft..... | 1 75 | 15 00 | |
| 6 to 8 ft..... | 3 00 | 25 00 | |
| 8 to 10 ft..... | 4 00 | 35 00 | |
| 1¼ to 1½ in. cal..... | 5 00 | 40 00 | |
| 1½ to 1¾ in. cal..... | 6 50 | | |
| 1¾ to 2 in. cal..... | 10 00 | | |
| " viridis, Green Ash | | | |
| 3 to 4 ft..... | 1 00 | 8 00 | |
| 4 to 5 ft..... | 1 50 | 12 00 | |
| 5 to 6 ft..... | 1 75 | 15 00 | |
| 6 to 8 ft..... | 2 00 | 18 00 | |
| 1½ to 1¾ in. cal., specimen..... | 7 50 | 75 00 | |
| 1¾ to 2 in. cal., specimen..... | 10 00 | 100 00 | |
| 2 to 2¼ in. cal., specimen..... | 15 00 | | |
| 2¼ to 2½ in. cal., specimen..... | 17 50 | | |
| Ginkgo—see Salisburia | | | |
| Gleditschia triacanthos, Honey Locust | | | |
| 4 to 6 ft..... | 2 00 | 18 00 | |
| 6 to 8 ft..... | 3 00 | 25 00 | |
| 8 to 10 ft..... | 4 00 | 35 00 | |
| Gymnocladus canadensis, Kentucky Coffee Tree | | | |
| 4 to 6 ft..... | 2 50 | 20 00 | |
| 6 to 8 ft..... | 3 50 | 30 00 | |
| 1½ to 1¾ in. cal..... | 5 00 | 40 00 | |
| 1¾ to 2 in. cal..... | 6 50 | | |
| 2 to 2½ in. cal..... | 10 00 | | |
| Juglans nigra, Black Walnut | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft..... | 1 50 | 12 00 | |
| 5 to 6 ft..... | 2 50 | 20 00 | |
| " regia, English Walnut, Madera Nut | | | |
| 18 to 24 in..... | 75 | 6 00 | 50 00 |
| 2 to 3 ft..... | 1 50 | 12 00 | |
| 3 to 4 ft..... | 1 75 | | |
| 6 to 8 ft..... | 5 00 | | |
| Koelreuteria paniculata, Japanese Varnish Tree | | | |
| 3 to 4 ft..... | 2 00 | 15 00 | |
| 4 to 5 ft..... | 3 00 | 25 00 | |
| 5 to 6 ft..... | 4 00 | 35 00 | |

Per 10 Per 100 Per 1000

Liquidambar styraciflua, Sweet Gum

| | | |
|-----------------------|-------|-------|
| 3 to 4 ft..... | 1 75 | 15 00 |
| 4 to 6 ft..... | 2 50 | 20 00 |
| 6 to 8 ft..... | 3 50 | 30 00 |
| 8 to 10 ft..... | 5 00 | 40 00 |
| 1¾ to 2 in. cal..... | 6 00 | |
| 2¼ to 2½ in. cal..... | 10 00 | |
| 2½ to 2¾ in. cal..... | 12 50 | |
| 3 to 3½ in. cal..... | 20 00 | |

We grow only the "hardy" Sweet Gum. We collect our seeds from trees growing in this vicinity and from them produce a strain hardy throughout the New England States. Seedlings from southern trees are not hardy as far north as Philadelphia.

Liriodendron tulipifera, Tulip Tree

| | | | |
|-----------------|------|-------|--------|
| 3 to 4 ft..... | 1 50 | 12 00 | |
| 4 to 6 ft..... | 2 00 | 18 00 | 150 00 |
| 6 to 8 ft..... | 3 00 | 25 00 | 200 00 |
| 8 to 10 ft..... | 3 50 | 30 00 | |

Magnolia acuminata

| | |
|----------------|------|
| 3 to 4 ft..... | 2 50 |
| 4 to 5 ft..... | 3 50 |

" glauca

| | |
|----------------|------|
| 2 to 3 ft..... | 3 50 |
|----------------|------|

" tripetala

| | |
|----------------|------|
| 4 to 6 ft..... | 2 50 |
| 6 to 8 ft..... | 4 00 |

Magnolias

Large Flowered Chinese Varieties

The following Magnolias have been several times transplanted. They are very bushy plants, branched to the ground. They will be dug with ball of earth and the ball sewed in burlap.

" Alexandrina, White, pink centre

| | |
|--------------------------------------|-------|
| 3 to 4 ft., with ball..... | 11 50 |
| 4 to 5 ft., with ball..... | 13 50 |
| 5 to 6 ft., with ball..... | 17 50 |
| 6 to 7 ft., specimen, with ball..... | 20 00 |
| 2 to 3 ft., 8 in. pots..... | 7 50 |

" conspicua, Chinese White Magnolia

| | |
|--------------------------------------|-------|
| 3 to 4 ft., with ball..... | 13 50 |
| 4 to 5 ft., with ball..... | 15 00 |
| 5 to 6 ft., with ball..... | 17 50 |
| 6 to 7 ft., specimen, with ball..... | 20 00 |

" Halleana,—see stellata**" Kobus, White**

| | |
|------------------------------|-------|
| 18 to 24 in., with ball..... | 5 00 |
| 3 to 4 ft., with ball..... | 7 50 |
| 5 to 6 ft., with ball..... | 13 50 |

" Lennei, Large Purple Flowered

| | |
|--------------------------------------|-------|
| 3 to 4 ft., with ball..... | 13 50 |
| 4 to 5 ft., with ball..... | 15 00 |
| 6 to 7 ft., specimen, with ball..... | 20 00 |

" purpurea, Purple

| | |
|--------------------------------------|-------|
| 18 to 24 in., with ball..... | 5 00 |
| 2 to 3 ft., with ball..... | 7 50 |
| 3 to 4 ft., with ball..... | 10 00 |
| 4 to 5 ft., specimen, with ball..... | 15 00 |

| | Per 10 | Per 100 | Per 1000 |
|---|--------|---------|----------|
| " Soulangeana, Large Pink Flowered Magnolia | | | |
| 2 to 3 ft., with ball..... | 10 00 | | |
| 3 to 4 ft., with ball..... | 11 50 | | |
| 4 to 5 ft., with ball..... | 13 50 | | |
| 6 to 7 ft., specimen, with ball..... | 20 00 | | |
| " Soulangeana nigra, | | | |
| 2 to 2½ ft., with ball..... | 13 50 | | |
| " speciosa, Early Pink Flowered Magnolia | | | |
| 2 to 3 ft., with ball..... | 10 00 | | |
| 3 to 4 ft., with ball..... | 11 50 | | |
| 4 to 5 ft., with ball..... | 13 50 | | |
| 5 to 6 ft., specimen, with ball..... | 20 00 | | |
| " stellata (Halleana), Hall's White Star Flowered | | | |
| 2 to 2½ ft., with ball..... | 13 50 | | |
| 2½ to 3 ft., with ball..... | 17 50 | | |
| 2½ to 3 ft., specimen, with ball..... | 25 00 | | |
| Morus Tartarica, Russian Mulberry | | | |
| 3 to 4 ft..... | 1 00 | 8 00 | |
| 4 to 6 ft..... | 1 25 | 10 00 | |
| " Tea's Weeping Mulberry | | | |
| 2 year heads..... | 6 00 | | |
| 3 year heavy heads..... | 10 00 | | |
| Negundo aceroides. See Acer negundo | | | |
| Nyssa multiflora | | | |
| 2 to 3 ft..... | 3 50 | | |
| Oxydendron arboreum, Sorrel Tree | | | |
| 2 to 3 ft..... | 3 50 | 35 00 | |
| 5 to 6 ft., with ball..... | 10 00 | | |
| Paulownia imperialis, Empress Tree | | | |
| 3 to 4 ft..... | 2 50 | 20 00 | |
| 6 to 8 ft..... | 6 00 | | |
| Pavia rubra | | | |
| 4 to 6 ft..... | 6 50 | | |
| 6 to 8 ft..... | 7 50 | | |
| " flava, Yellow Buckeye | | | |
| 3 to 4 ft..... | 4 00 | | |
| 4 to 6 ft..... | 6 50 | | |
| 6 to 8 ft..... | 7 50 | | |
| Phellodendron amurense | | | |
| 8 to 10 ft..... | 7 50 | | |
| 2 to 2½ in. cal..... | 10 00 | | |
| Platanus orientalis, European Sycamore, European Plane | | | |
| 4 to 5 ft..... | 1 75 | 17 00 | |
| 5 to 6 ft..... | 2 00 | 20 00 | |
| 6 to 8 ft..... | 2 50 | 25 00 | |
| 8 to 10 ft..... | 3 50 | 35 00 | |
| 1¼ in. cal..... | 5 00 | 50 00 | |
| 1½ to 1¾ in. cal..... | 7 50 | 75 00 | |
| 1¾ to 2 in. cal..... | 10 00 | 100 00 | |
| 2¼ to 2½ in. cal..... | 17 50 | | |
| 2¾ to 3 in. cal..... | 25 00 | | |
| 3 to 3½ in. cal..... | 27 50 | | |
| Populus Bolleana, Pyramidal Silver Poplar | | | |
| 5 to 6 ft..... | 2 00 | 18 00 | |
| 6 to 8 ft..... | 2 50 | 20 00 | |
| 8 to 10 ft..... | 3 50 | 30 00 | |
| 10 to 12 ft., 1¼ to 1½ in. cal..... | 5 00 | 50 00 | |
| 1½ to 1¾ in. cal..... | 6 50 | 65 00 | |
| 1¾ to 2 in. cal..... | 7 50 | 75 00 | |
| 2 to 2¼ in. cal..... | 10 00 | | |
| 2¼ to 2½ in. cal..... | 12 50 | 125 00 | |
| 2½ to 2¾ in. cal..... | 15 00 | | |
| 2¾ to 3 in. cal..... | 20 00 | | |
| 3 to 3½ in. cal..... | 25 00 | | |
| 3½ to 4 in. cal..... | 30 00 | | |

| | Per 10 | Per 100 | Per 1000 |
|--|--------|---------|----------|
| " fastigiata, Lombardy Poplar | | | |
| 4 to 6 ft..... | 1 50 | 12 00 | |
| 6 to 8 ft..... | 1 75 | 15 00 | |
| 8 to 10 ft..... | 3 50 | 35 00 | |
| 10 to 12 ft..... | 5 00 | 50 00 | |
| 12 to 14 ft..... | 6 50 | 65 00 | |
| 1½ in. cal..... | 7 50 | | |
| 2 to 2¼ in. cal..... | 12 50 | | |
| 2¼ to 2½ in. cal..... | 15 00 | | |
| These Lombardy Poplars have been several times transplanted and are branched to the ground, but as they have central stems, it is possible to trim them up if necessary. | | | |
| Prunus Pissardi, see shrubs | | | |
| Pyrus aucuparia (see Sorbus aucuparia) | | | |
| " Bechtel's Double Flowering (lonensis) | | | |
| 3 to 4 ft..... | 3 50 | 30 00 | |
| 4 to 5 ft..... | 5 00 | 40 00 | |
| " coronaria, Sweet Scented Crab | | | |
| 3 to 4 ft..... | 3 00 | 30 00 | |
| " floribunda | | | |
| 3 to 4 ft..... | 3 00 | | |
| 4 to 5 ft..... | 3 50 | 35 00 | |
| 6 to 8 ft., specimen..... | 10 00 | | |
| " floribunda atrosanguinea | | | |
| 4 to 5 ft..... | 3 50 | 35 00 | |
| " Kiado | | | |
| 4 to 5 ft..... | 3 50 | | |
| 5 to 6 ft..... | 5 00 | | |
| 6 to 8 ft., specimen..... | 10 00 | | |
| " Parkmanni-Halleana | | | |
| 5 to 6 ft..... | 5 00 | 50 00 | |
| Quercus alba, White Oak | | | |
| 6 to 8 ft..... | 7 50 | | |
| 1½ to 1¾ in. cal..... | 8 50 | | |
| 1¾ to 2 in. cal..... | 10 00 | | |
| 2 to 2¼ in. cal..... | 12 50 | | |
| 2¼ to 2½ in. cal..... | 17 50 | | |
| 2½ to 2¾ in. cal..... | 20 00 | | |
| 2¾ to 3 in. cal..... | 22 50 | | |
| 3 to 3½ in. cal..... | 25 00 | | |
| 3½ to 4 in. cal..... | 30 00 | | |
| " aquatica, Water Oak | | | |
| 2 to 4 ft..... | 2 50 | | |
| 4 to 6 ft..... | 5 00 | | |
| 6 to 8 ft..... | 7 50 | | |
| " Bannisteri, Scrub Oak | | | |
| 2 to 3 ft..... | 3 00 | | |
| 3 to 4 ft..... | 3 50 | | |
| " bicolor, Swamp White Oak | | | |
| 3 to 4 ft..... | 3 00 | 25 00 | |
| 4 to 6 ft..... | 4 00 | 35 00 | |
| 6 to 8 ft..... | 7 50 | 75 00 | |
| 3 to 3½ in. cal., specimen..... | 25 00 | | |
| 3½ to 4 in. cal., specimen..... | 30 00 | | |
| " cerris, Turkey Oak | | | |
| 4 to 6 ft..... | 5 00 | | |
| 6 to 8 ft..... | 7 50 | | |
| " coccinea, Scarlet Oak | | | |
| 4 to 6 ft..... | 4 00 | 35 00 | |
| 6 to 8 ft..... | 7 50 | 75 00 | |
| 8 to 10 ft..... | 10 00 | 100 00 | |

| | Per 10 | Per 100 | Per 1000 |
|---|--------|---------|----------|
| " laurifolia, Laurel-leaved Oak | | | |
| 3 to 4 ft..... | 3 50 | | |
| " macrocarpa, Mossy Cup or Burr Oak | | | |
| 4 to 6 ft..... | 3 50 | 35 00 | |
| 6 to 8 ft..... | 5 00 | 40 00 | |
| 8 to 9 ft..... | 7 50 | | |
| 2 to 2½ in. cal..... | 12 50 | | |
| 2½ to 2¾ in. cal..... | 15 00 | | |
| 2½ to 2¾ in. cal..... | 17 50 | | |
| " obtusiloba, Post Oak | | | |
| 4 to 6 ft..... | 3 50 | 35 00 | |
| 6 to 8 ft..... | 5 00 | 40 00 | |
| " palustris, Pin Oak | | | |
| 4 to 6 ft..... | 4 00 | 35 00 | |
| 6 to 8 ft..... | 7 50 | 75 00 | |
| 8 to 10 ft..... | 10 00 | 100 00 | |
| 2½ to 3 in. cal..... | 17 50 | | |
| 3 to 3½ in. cal..... | 20 00 | 200 00 | |
| 3½ to 4 in. cal..... | 30 00 | | |
| " Phellos, Willow Oak | | | |
| 1¼ to 1½ in. cal..... | 6 00 | 60 00 | |
| 2¼ to 2½ in. cal..... | 15 00 | 150 00 | |
| 2½ to 2¾ in. cal..... | 17 50 | 175 00 | |
| 2¾ to 3 in. cal..... | 20 00 | | |
| 3 to 3½ in. cal..... | 25 00 | | |
| " Prinus, Rock Chestnut Oak | | | |
| 4 to 6 ft..... | 3 50 | | |
| 6 to 8 ft..... | 6 00 | | |
| 8 to 10 ft..... | 7 50 | | |
| 1¼ to 1½ in. cal..... | 10 00 | | |
| 1½ to 2 in. cal..... | 12 50 | 100 00 | |
| 2 to 2½ in. cal..... | 15 00 | 125 00 | |
| 2½ to 3 in. cal..... | 17 50 | | |
| 3 to 3½ in. cal..... | 20 00 | | |
| " robur, English Oak | | | |
| 2 to 2½ in. cal..... | 10 00 | | |
| 2½ to 3 in. cal..... | 12 50 | | |
| 3 to 3½ in. cal..... | 15 00 | | |
| " robur pyramidalis, Pyramidal English Oak | | | |
| 4 to 6 ft..... | 10 00 | | |
| 6 to 8 ft..... | 15 00 | | |
| " robur concordia, Golden Oak | | | |
| 2 to 3 ft..... | 6 00 | | |
| 3 to 4 ft..... | 7 50 | | |
| " rubra, Red Oak | | | |
| 4 to 6 ft..... | 4 00 | 35 00 | |
| 6 to 8 ft..... | 7 50 | 70 00 | |
| 1½ to 2 in. cal..... | 12 50 | | |
| 2 to 2½ in. cal..... | 15 00 | | |
| 2½ to 3 in. cal..... | 20 00 | | |
| 3 to 3½ in. cal..... | 25 00 | | |
| " Texana | | | |
| 6 to 8 ft..... | 7 50 | | |
| " tinctoria, Black Oak | | | |
| 4 to 6 ft..... | 4 00 | 35 00 | |
| 6 to 8 ft..... | 7 50 | 70 00 | |
| 8 to 10 ft..... | 8 50 | | |
| 1½ to 2 in. cal..... | 12 50 | | |
| 2 to 2½ in. cal..... | 15 00 | | |
| 2½ to 3 in. cal..... | 20 00 | | |
| 3 to 3½ in. cal..... | 25 00 | | |
| Robinia pseud-acacia, Yellow or Black Locust | | | |
| 2½ to 3 in. cal..... | 10 00 | | |

| | Per 10 | Per 100 | Per 1000 |
|--|--------|---------|----------|
| Salisburya adiantifolia, Ginkgo or Maiden Hair | | | |
| 6 to 8 ft..... | 4 00 | | |
| 8 to 10 ft..... | 6 00 | | |
| 1 1/4 to 1 1/2 in. cal..... | 7 50 | | |
| 1 1/2 to 1 3/4 in. cal..... | 10 00 | | |
| 1 3/4 to 2 in. cal..... | 12 50 | | |
| Salix aurea pendula, Golden-barked Weeping Willow | | | |
| 5 to 6 ft..... | 2 50 | 25 00 | |
| 6 to 8 ft..... | 3 00 | | |
| " Kilmarnock, Weeping | | | |
| Strong 1 year heads | 4 00 | | |
| " pentandra, Laurel-leaved Willow | | | |
| 8 to 10 ft..... | 3 00 | | |
| " regalis, Royal or White-leaved | | | |
| 2 to 3 ft..... | 1 50 | 12 50 | |
| 3 to 4 ft..... | 2 50 | 20 00 | |
| 4 to 5 ft..... | 3 00 | 25 00 | |
| " Rosmarinifolia, Rosmary Willow | | | |
| 2 to 3 ft..... | 1 50 | 12 50 | |
| 3 to 4 ft..... | 2 50 | 20 00 | |
| 4 to 5 ft..... | 3 00 | 25 00 | |
| " vitellina, Golden Bark | | | |
| 2 to 3 ft..... | 1 50 | 12 50 | |
| 3 to 4 ft..... | 2 50 | 20 00 | |
| 4 to 6 ft..... | 3 00 | 25 00 | |
| 6 to 7 ft..... | 3 50 | | |
| 8 to 10 ft..... | 4 00 | | |
| " vitellina Britzensis, Red-barked Willow | | | |
| 3 to 4 ft..... | 2 50 | 20 00 | |
| 4 to 6 ft..... | 3 00 | 25 00 | |
| 6 to 8 ft..... | 3 50 | | |
| " Wisconsin, Weeping | | | |
| 5 to 6 ft..... | 3 00 | | |
| 8 to 10 ft..... | 4 00 | 35 00 | |
| 10 to 12 ft..... | 5 00 | | |
| Sophora Japonica | | | |
| 3 to 4 ft..... | 3 00 | 25 00 | |
| 4 to 6 ft..... | 5 00 | 40 00 | |
| Sorbus aucuparia, European Mountain Ash | | | |
| 8 to 10 ft..... | 4 00 | | |
| " Americana, American Mountain Ash | | | |
| 8 to 10 ft..... | 6 50 | | |
| Taxodium distichum, Bald or Deciduous Cypress | | | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| 3 to 4 ft..... | 1 75 | 15 00 | |
| 4 to 5 ft..... | 2 50 | 20 00 | |
| Tilia Americana, American Linden | | | |
| 4 to 6 ft..... | 3 50 | 35 00 | |
| 6 to 8 ft..... | 5 00 | 50 00 | |
| 8 to 10 ft..... | 6 00 | 60 00 | |
| 1 1/2 to 1 3/4 in. cal..... | 8 50 | 85 00 | |
| 1 3/4 to 2 in. cal..... | 10 00 | 100 00 | |
| 2 to 2 1/4 in. cal..... | 13 50 | 135 00 | |
| 2 1/4 to 2 1/2 in. cal..... | 15 00 | 150 00 | |
| 2 1/2 to 2 3/4 in. cal..... | 20 00 | | |
| 2 1/4 to 2 1/2 in. cal., specimen..... | 17 50 | | |
| 2 1/2 to 2 3/4 in. cal., specimen..... | 22 50 | | |
| 2 3/4 to 3 in. cal., specimen..... | 25 00 | | |
| 3 to 3 1/2 in. cal., specimen..... | 30 00 | | |

Per 10 Per 100 Per 1000

" **alba argentea, Silver-leaved Linden**

| | | |
|-----------------------|-------|--------|
| 1¾ to 2 in. cal..... | 13 50 | |
| 2 to 2¼ in. cal..... | 15 00 | 150 00 |
| 2½ to 2¾ in. cal..... | 20 00 | |
| 2¾ to 3 in. cal..... | 22 50 | |
| 3 to 3½ in. cal..... | 25 00 | |

" **alba pendula, Weeping Linden**

| | | |
|---|-------|--|
| 5 to 6 ft., stem, 2 year heavy heads..... | 15 00 | |
| 6 to 7 ft., stem, 4 year heavy heads..... | 20 00 | |

" **dasystyla, Crymean or Yellow twigged Linden**

| | | |
|-----------------------|-------|--------|
| 1½ to 1¾ in. cal..... | 13 50 | |
| 1¾ to 2 in. cal..... | 15 00 | 150 00 |
| 2 to 2½ in. cal..... | 17 50 | 175 00 |

" **Europaea, Small-leaved Linden**

| | | |
|----------------------|-------|--------|
| 4 to 6 ft..... | 2 50 | 20 00 |
| 2 to 2½ in. cal..... | 17 50 | 175 00 |
| 2½ to 3 in. cal..... | 25 00 | 250 00 |
| 3 to 3½ in. cal..... | 35 00 | 350 00 |

" **plataphylla, Large-leaved European Linden**

| | | |
|-----------------------|-------|--------|
| 4 to 6 ft..... | 2 50 | 20 00 |
| 6 to 8 ft..... | 3 50 | |
| 2¼ to 2½ in. cal..... | 20 00 | 200 00 |

All of these varieties of Linden have been transplanted within the last two years. They have perfectly straight trunks and nice heads and as they have single stems right to the top of the tree, they can be trimmed higher if necessary. The dasystyla is an excellent variety for street planting, the leaves are leathery and tough and are never attacked by insects. They remain green until a hard frost, then they all fall at one time.

Ulmus Americana, American Elm

| | | |
|-----------------------|-------|--------|
| 3 to 4 ft..... | 1 25 | |
| 4 to 5 ft..... | 1 75 | |
| 6 to 7 ft..... | 2 50 | 20 00 |
| 1¼ to 1½ in. cal..... | 5 00 | 40 00 |
| 1½ to 2 in. cal..... | 6 50 | 65 00 |
| 2 to 2½ in. cal..... | 10 00 | 100 00 |
| 2½ to 3 in. cal..... | 15 00 | 150 00 |
| 3 in. cal..... | 20 00 | |

" **Camperdown pendula**

| | | |
|-------------------|------|--|
| 2 year heads..... | 6 00 | |
|-------------------|------|--|

" **latifolia, Scotch Elm**

| | | |
|----------------------|-------|--------|
| 2 to 2½ in. cal..... | 17 50 | 175 00 |
|----------------------|-------|--------|

Deciduous Shrubs

We continually try to impress upon our customers the fact that the mere height of a shrub does not indicate its value, but that its "bushiness" must also be taken into consideration. Shrubs grown closely in nursery rows must necessarily make height but the "bushiness" is sacrificed. A good, bushy, two to three-foot shrub is worth as much as a "slim" three to four-foot plant and for results it is worth more.

We grow our shrubs in wide rows and allow plenty of space between the plants in the rows to permit them to develop properly. It costs more to grow shrubs this way than where they are grown closely together, as we cannot plant as many on an acre. In comparing our prices with those of other growers, this fact should be given consideration.

"Heavy" shrubs indicate those which have been given extra room in the nursery rows.

| | Per 10 | Per 100 | Per 1000 |
|---|--------|---------|----------|
| Abelia rupestris | | | |
| 12 to 18 in..... | 3 50 | 30 00 | |
| 2 ft. bushy..... | 5 00 | | |
| Amelanchier Boryapium | | | |
| 18 to 24 in... .. | 1 00 | 8 00 | |
| 2 to 3 ft..... | 1 25 | 12 00 | |
| 4 to 5 ft..... | 2 00 | | |
| “ Canadensis | | | |
| 18 to 24 in..... | 1 00 | 8 00 | |
| 2 to 2½ ft..... | 1 25 | 11 00 | |
| Amorpha canescens | | | |
| 6 to 12 in..... | 65 | 5 00 | |
| 12 to 18 in..... | 85 | 7 00 | |
| 18 to 24 in..... | 1 00 | 8 00 | |
| 2 to 2½ ft..... | 1 25 | 10 00 | |
| “ fruticosa | | | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| Amygdalus nana, Double White Flowering Almond | | | |
| 3 to 4 ft..... | 2 00 | 20 00 | |
| “ nana, Double Pink Flowering Almond | | | |
| 3 to 4 ft..... | 2 00 | 20 00 | |
| “ Persica, Double White Flowering Peach | | | |
| 4 to 5 ft..... | 2 00 | 20 00 | |
| “ Persica, Double Red Flowering Peach | | | |
| 4 to 5 ft..... | 2 00 | 20 00 | |
| Andromeda arborea (See Oxydendron, trees) | | | |
| Andromeda floribunda and Japonica (see Evergreen Shrubs) | | | |
| Aralia Japonica | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 8 to 10 ft..... | 3 50 | | |
| 10 to 12 ft..... | 6 00 | | |
| “ Mandschurica (Dimorphanthus) | | | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| 3 to 4 ft..... | 1 50 | 12 00 | |
| 8 to 10 ft..... | 6 00 | | |

| | Per 10 | Per 100 | Per 1000 |
|---|--------|---------|----------|
| Aralia pentaphylla | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft..... | 1 50 | 12 00 | |
| 3 to 4 ft., heavy..... | 1 50 | 12 00 | |
| 4 to 5 ft., heavy..... | 1 75 | 15 00 | |
| 5 to 6 ft., heavy..... | 2 00 | 18 00 | |
| 6 to 7 ft., heavy..... | 2 50 | 20 00 | |
| “ spinosa | | | |
| 6 to 8 ft..... | 3 50 | | |
| 8 to 10 ft..... | 6 00 | | |
| 10 to 12 ft..... | 10 00 | | |
| Aronia arbutifolia, Black-berried | | | |
| 18 to 24 in..... | 1 00 | 9 00 | |
| “ arbutifolia Brilliantissima, Red-berried | | | |
| 2 to 3 ft..... | 1 25 | 12 00 | |
| 3 to 4 ft..... | 1 50 | 15 00 | |
| “ floribunda | | | |
| 18 to 24 in..... | 1 00 | 9 00 | |
| 2 to 3 ft..... | 1 25 | 11 00 | |
| Azalea amoena, Evergreen Azalea | | | |
| 18 in. | 6 00 | | |
| “ amoena Hinondigiro, Bright Carmine | | | |
| 12 to 15 in., bushy, 6 in. pots..... | 10 00 | | |
| “ arborescens | | | |
| 12 to 18 in..... | 3 00 | 30 00 | |
| 2 ft., bushy..... | 4 00 | | |
| “ calendulacea (lutea), Flame Azalea | | | |
| 18 to 24 in..... | 3 50 | 35 00 | |
| “ Mollis, Red | | | |
| 18 to 24 in..... | 3 75 | 35 00 | |
| 2 to 2½ ft..... | 6 50 | 65 00 | |
| “ Mollis, Yellow | | | |
| 18 to 24 in..... | 3 75 | 35 00 | |
| 2 to 2½ ft..... | 6 50 | 65 00 | |
| “ nudiflora | | | |
| 1½ to 2 ft..... | 2 50 | 25 00 | |
| Azalea Pontica (Ghent), assorted colors | | | |
| 18 to 24 in..... | 5 00 | 50 00 | |
| 2 to 2½ ft..... | 7 50 | 75 00 | |
| “ Vaseyii | | | |
| 12 to 18 in., bushy..... | 3 50 | 35 00 | |
| “ Viscosa | | | |
| 15 in. | 5 00 | 50 00 | |
| 2 to 3 ft..... | 6 00 | 60 00 | |
| Baccharis halimifolia, Goundsel Shrub | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| Berberis ilicifolia, Holly-leaved Barberry | | | |
| 12 to 18 in..... | 1 25 | 10 00 | |
| “ purpurea | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| “ Thunbergii, Japanese Barberry | | | |
| 12 to 18 in..... | 1 00 | 9 00 | |
| 18 to 24 in..... | 1 25 | 10 00 | |
| 2 to 2½ ft..... | 1 50 | 12 00 | |

| | Per 10 | Per 100 | Per 1000 |
|--|--------|---------|----------|
| " vulgaris, Green Barberry | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| Buddleia intermedia | | | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| Callicarpa purpurea | | | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| Calycanthus floridus, Sweet Shrub | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| 2 to 2½ ft..... | 1 00 | 9 00 | |
| 2½ to 3 ft..... | 1 25 | 10 00 | |
| 3 to 3½ ft..... | 1 50 | | |
| Caragana arborescens | | | |
| 12 to 18 in..... | 50 | 4 00 | |
| 18 to 24 in..... | 85 | 6 00 | |
| 2 to 2½ ft..... | 1 00 | 8 00 | |
| 2½ to 3 ft..... | 1 25 | 10 00 | |
| " arborescens pendula, Weeping Siberian Pea | | | |
| 5 to 6 ft., stems, 3 year heads..... | 8 50 | | |
| 6 to 8 ft., stems, 3 year heads..... | 10 00 | | |
| Carpinus Americana, American Hornbeam | | | |
| 12 to 18 in..... | 65 | 4 00 | 30 00 |
| 2 to 3 ft..... | 85 | 5 00 | 40 00 |
| 3 to 4 ft..... | 1 00 | 8 00 | 70 00 |
| 4 to 5 ft..... | 1 75 | 15 00 | |
| 6 to 8 ft..... | 3 50 | | |
| " Betulus, European Hornbeam | | | |
| 18 to 24 in., bushy..... | 1 00 | 8 00 | |
| 2 to 3 ft., bushy..... | 1 50 | 10 00 | 90 00 |
| 3 to 4 ft., bushy..... | 1 75 | 15 00 | |
| 4 to 5 ft., bushy..... | 2 00 | 18 00 | |
| 5 to 6 ft., bushy..... | 3 50 | | |
| Both the American and European Hornbeam make excellent hedges. The plants offered are grown especially for this purpose. | | | |
| Caryopteris Mastacanthus, "Blue Spiraea" | | | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| Ceanothus Americana, New Jersey Tea | | | |
| 18 to 24 in..... | 1 00 | 9 00 | |
| 2 to 2½ ft..... | 1 25 | | |
| Cephalanthus occidentalis, Dwarf Button-bush | | | |
| 12 to 18 in..... | 75 | 6 00 | |
| 18 to 24 in..... | 85 | 7 00 | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft., heavy..... | 1 75 | | |
| Cercis Canadensis, American Judas or Red Bud | | | |
| 2 to 3 ft..... | 1 25 | 11 00 | |
| 3 to 4 ft..... | 1 75 | 15 00 | |
| 4 to 5 ft..... | 2 50 | 20 00 | |
| 5 to 6 ft..... | 2 75 | | |
| " Japonica, Japanese Judas | | | |
| 2 to 3 ft..... | 2 00 | | |
| Chionanthus Virginica, White Fringe | | | |
| 2 to 3 ft..... | 2 00 | 17 00 | |
| 3 to 4 ft..... | 3 00 | 25 00 | |
| Clethra alnifolia, Sweet Pepper Bush | | | |
| 2 to 2½ ft..... | 1 25 | 11 00 | |
| Colutea arborescens | | | |
| 2 to 2½ ft..... | 1 00 | 8 00 | |
| Corchorus, see Kerria | | | |

| | Per 10 | Per 100 | Per 1000 |
|--|--------|---------|----------|
| Cornus alba (Siberica), Red-twigged Dogwood | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft..... | 1 50 | 12 00 | |
| " florida, White Flowered Dogwood (see trees) | | | |
| " florida rubra, Red Flowered Dogwood (see trees) | | | |
| " glabrata | | | |
| 4 to 5 ft., heavy..... | 1 50 | | |
| " Mas. Cornelian Cherry | | | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft..... | 1 75 | | |
| 5 to 6 ft..... | 2 00 | | |
| " paniculata | | | |
| 18 to 24 in..... | 90 | 8 00 | |
| 2 to 3 ft..... | 1 00 | 10 00 | |
| 3 to 4 ft..... | 1 25 | 12 00 | |
| " sanguinea, English Dogwood | | | |
| 18 to 24 in..... | 75 | 6 00 | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| " sericea (Amomum) Silky Dogwood | | | |
| 2 to 3 ft..... | 90 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft..... | 1 50 | 12 00 | |
| 5 to 6 ft..... | 1 75 | | |
| " Spaethi aurea, Golden-leaved | | | |
| 2 to 3 ft..... | 1 50 | | |
| " stolonifera lutea (flaviramea), Yellow-barked | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| 2½ to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| Corylus Americana, American Hazel | | | |
| 2 to 3 ft..... | 1 50 | | |
| " avellana, European Hazel | | | |
| 18 to 24 in..... | 1 00 | 9 00 | |
| 2 to 3 ft..... | 1 25 | | |
| 3 to 4 ft..... | 1 50 | | |
| " purpurea, Purple-leaved Filbert | | | |
| 18 to 24 in..... | 1 25 | | |
| 2 to 3 ft..... | 1 75 | | |
| Cotoneaster Simondsii | | | |
| 18 to 24 in..... | 1 00 | | |
| 2 to 3 ft..... | 1 35 | | |
| Crataegus coccinea, White Thorn | | | |
| 18 to 24 in..... | 85 | 7 00 | 50 00 |
| 2 to 3 ft..... | 1 00 | 9 00 | 75 00 |
| 3 to 4 ft..... | 1 75 | 15 00 | 125 00 |
| 4 to 5 ft..... | 2 50 | 20 00 | |
| 5 to 6 ft..... | 3 00 | 25 00 | |
| 6 to 7 ft..... | 4 00 | | |
| " Carriere | | | |
| 6 to 8 ft..... | 4 00 | | |
| " Cordata, Washington Thorn | | | |
| 18 to 24 in..... | 1 25 | 12 00 | |
| 2 to 3 ft..... | 1 50 | 15 00 | |
| 3 to 3½ ft..... | 2 50 | 20 00 | |
| " crus galli, Cockspur Thorn | | | |
| 2 to 3 ft..... | 1 50 | 15 00 | |
| 3 to 4 ft..... | 2 00 | 20 00 | |
| 4 to 5 ft..... | 2 50 | 25 00 | |
| 5 to 6 ft..... | 3 50 | | |

| | Per 10 | Per 100 | Per 1000 |
|---|--------|---------|----------|
| " Mollis | | | |
| 2 to 3 ft..... | 1 50 | | |
| " oxycantha, English Hawthorn | | | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 50 | 13 00 | |
| " oxycantha, Double Pink | | | |
| 4 to 6 ft..... | 2 50 | 25 00 | |
| " oxycantha, Paul's Scarlet | | | |
| 4 to 6 ft..... | 2 50 | 25 00 | |
| 8 to 10 ft..... | 6 00 | | |
| " oxycantha, Double White | | | |
| 4 to 6 ft..... | 2 50 | 25 00 | |
| 6 to 8 ft..... | 4 00 | | |
| " spathulata | | | |
| 4 to 5 ft..... | 2 50 | | |
| 5 to 6 ft..... | 3 00 | | |
| Cydonia Japonica (Pyrus Japonica), Japanese Quince | | | |
| 18 to 24 in..... | 75 | | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 12 00 | |
| " Moerloosei, Pink | | | |
| 2 to 3 ft..... | 1 50 | | |
| " umbillicata, Bright Rose | | | |
| 18 to 24 in..... | 1 00 | 8 00 | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| 3 to 4 ft..... | 1 35 | 12 00 | |
| Cytissus Laburnum | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| 2 to 2½ ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 50 | | |
| 5 to 6 ft..... | 3 50 | | |
| 6 to 8 ft..... | 5 00 | | |
| Daphne Mezereum album | | | |
| 6 to 12 in..... | 1 50 | 15 00 | |
| 18 to 24 in., with ball..... | 6 50 | 65 00 | |
| " Mezereum rubrum, Pink | | | |
| 15 to 18 in., with ball..... | 6 50 | 65 00 | |
| Desmodium penduliflorum, Pink | | | |
| 3 year | 1 25 | 10 00 | |
| Deutzia candidissima plena, Double White | | | |
| 2 to 3 ft..... | 85 | 7 00 | |
| 3 to 4 ft..... | 1 00 | 8 00 | |
| 4 to 5 ft..... | 1 25 | 10 00 | |
| " crenata, Double White | | | |
| 3 to 4 ft..... | 1 00 | 8 00 | |
| 4 to 5 ft..... | 1 25 | 10 00 | |
| " crenata, Double Pink | | | |
| 2 to 3 ft..... | 85 | 7 00 | |
| 3 to 4 ft..... | 1 00 | 8 00 | |
| 4 to 5 ft..... | 1 25 | 10 00 | |
| " crenata, Single White | | | |
| 5 to 7 ft., bushy specimens..... | 2 00 | | |
| " Fortunei, White | | | |
| 2 to 3 ft..... | 85 | 7 50 | |
| 3 to 4 ft..... | 1 00 | 9 00 | |
| " gracilis, Dwarf White | | | |
| 12 to 18 in..... | 85 | 7 00 | |
| 2 ft. | 1 00 | 9 00 | |

| | Per 10 | Per 100 | Per 1000 |
|--|--------|---------|----------|
| " gracilis rosea, Pink | | | |
| 2 to 2½ ft..... | 1 00 | | |
| " Lemoinei, Dwarf White | | | |
| 18 to 24 in..... | 85 | 7 50 | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| " Pride of Rochester, Double Pink | | | |
| 2 to 3 ft..... | 85 | 8 00 | |
| 3 to 4 ft..... | 1 00 | 9 00 | |
| 4 to 5 ft..... | 1 25 | 10 00 | |
| Diervilla sessilifolia (lutea) | | | |
| 18 to 24 in..... | 1 00 | 8 00 | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| Dimorphanthus (see Aralia Mandschurica) | | | |
| Eleagnus angustifolia, Russian Olive | | | |
| 18 to 24 in..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 11 00 | |
| " longipes | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft..... | 1 50 | 12 00 | |
| " umbellatus, female | | | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| Euonymus alatus, Japanese Euonymus | | | |
| 12 to 18 in..... | 2 00 | 18 00 | |
| 18 to 24 in., bushy..... | 3 50 | 30 00 | |
| 2 to 2½ ft., bushy..... | 6 00 | | |
| " Europaeus, European Burning Bush | | | |
| 2 to 3 ft..... | 85 | | |
| 3 to 4 ft..... | 1 00 | 9 00 | |
| Exochorda grandiflora, Pearl Bush | | | |
| 2 to 3 ft..... | 1 25 | | |
| 3 to 4 ft..... | 1 50 | 15 00 | |
| Forsythea Fortunei, Golden Bell | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft..... | 1 50 | 12 00 | |
| 4 to 5 ft., heavy..... | 1 75 | 15 00 | |
| 5 to 6 ft., heavy..... | 2 00 | 18 00 | |
| " intermedia | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft..... | 1 50 | 12 00 | |
| " suspensa | | | |
| 18 to 24 in..... | 1 00 | 8 00 | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| 3 to 4 ft..... | 1 50 | 12 00 | |
| " viridissima | | | |
| 18 to 24 in..... | 65 | | |
| 2 to 3 ft..... | 90 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 2 to 3 ft., heavy..... | 1 25 | 10 00 | |
| 3 to 4 ft., heavy..... | 1 50 | 12 00 | |
| " viridissima variegata | | | |
| 18 to 24 in..... | 1 00 | | |
| 3 to 4 ft..... | 1 50 | | |
| Halesia tetraptera, Silver Bell | | | |
| 2 to 3 ft..... | 1 50 | 12 00 | |
| 3 to 4 ft..... | 1 75 | 15 00 | |
| 4 to 5 ft..... | 2 00 | 18 00 | |
| 5 to 6 ft..... | 3 00 | | |
| Hamamelis Virginica, Wych-hazel | | | |
| 18 to 24 in..... | 1 00 | 8 00 | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| 3 to 4 ft..... | 1 50 | 12 00 | |

HIBISCUS MEEHANI VARIEGATA

New Single Flowered Variegated Leaved Althaea.



This new variety of *Althaea* has proven very attractive since we first offered it two years ago. The leaves are variegated with green and white just the same as the old double flowered sorts, but its great beauty lies in the fact that the flowers, those single, open wide, being no less than four inches in diameter, while the flowers of the old double sort do not open at all. The color is a lilac pink. For prices see list of Hibiscus.

| | Per 10 | Per 100 | Per 1000 |
|--|--------|---------|----------|
| Hibiscus alba plena, Double White Althaea | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 9 00 | |
| 4 to 5 ft..... | 1 50 | | |
| " ardens, Double Blue | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 9 00 | |
| " bicolor, Double Pink | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 9 00 | |
| " Boule de Feu, Double Red | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 9 00 | |
| " coerulea, Double Blue | | | |
| 5 to 6 ft..... | 1 50 | | |
| 6 to 7 ft..... | 2 00 | | |
| " Duc de Brabant, Double Red | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 9 00 | |
| " Jean d'Arc, Double White | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 9 00 | |
| 4 to 5 ft..... | 1 50 | | |
| " Lady Stanley, Double Pink | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 9 00 | |
| 4 to 5 ft..... | 1 50 | 12 00 | |
| 5 to 6 ft..... | 1 75 | 15 00 | |
| 6 to 7 ft..... | 2 00 | | |
| " variegata fl. pl., Variegated-leaved, double red | | | |
| 18 to 24 in..... | 1 00 | 8 00 | |
| 2 to 3 ft..... | 1 25 | 9 00 | |
| 3 to 4 ft..... | 1 50 | 12 00 | |
| 4 to 5 ft..... | 1 75 | 15 00 | |
| " Meehani variegated, Single flowered variegated-leaved | | | |
| 2 to 3 ft..... | 1 50 | 12 00 | |
| 3 to 4 ft..... | 1 75 | 15 00 | |
| " totus alba | | | |
| 18 to 24 in..... | 1 00 | 8 00 | |
| 2 to 3 ft..... | 1 25 | 9 00 | |
| 3 to 4 ft..... | 1 50 | 12 00 | |

| | Per 10 | Per 100 | Per 1000 |
|---|--------|---------|------------------|
| Hippophaea rhamnoides, Sea Buckthorn | | | |
| 18 to 24 in..... | 1 00 | 9 00 | |
| 2 to 3 ft..... | 1 25 | 11 00 | |
| Hydrangea arborescens | | | |
| 12 to 18 in..... | 75 | | |
| 18 to 24 in..... | 1 00 | | |
| “ arborescens grandiflora (new) American Everblooming | | | Hydrangea |
| 2 to 3 ft..... | 1 75 | 15 00 | |
| 2 to 2½ ft., 5 in. pots..... | 3 50 | | |
| “ paniculata (type), Single | | | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| “ paniculata acuminata, Early Flowering (type), Single | | | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft..... | 1 50 | 12 00 | |
| 4 to 5 ft., heavy..... | 1 75 | 15 00 | |
| 5 to 6 ft., heavy..... | 2 00 | 18 00 | |
| “ paniculata grandiflora | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| 3 to 3½ ft..... | 1 35 | 12 00 | |
| 4 to 5 ft..... | 2 00 | 20 00 | |
| “ paniculata grandiflora Standards | | | |
| 2½ to 3 ft., strong..... | 2 50 | 22 50 | |
| “ quercifolia, Oak-leaved | | | |
| 2 to 3 ft..... | 3 00 | 30 00 | |
| “ radiata | | | |
| 18 to 24 in..... | 1 00 | 9 00 | |
| 2 to 3 ft..... | 1 25 | 11 00 | |
| 3 to 4 ft..... | 1 50 | 13 00 | |
| Hypericum aureum | | | |
| 1 ft..... | 1 25 | 10 00 | |
| “ densiflorum | | | |
| 12 to 18 in..... | 1 25 | 10 00 | |
| 18 to 24 in..... | 1 50 | 13 00 | |
| “ Moserianum | | | |
| 2 year..... | 1 00 | 10 00 | |
| “ prolificum | | | |
| 18 to 24 in..... | 1 00 | | |
| 2 to 3 ft..... | 1 25 | | |
| Ilex verticillata (Prinos) | | | |
| 18 to 24 in..... | 1 25 | 12 00 | |
| 2 to 2½ ft..... | 2 00 | 20 00 | |
| 3 to 4 ft..... | 2 50 | | |
| Itea Virginica | | | |
| 2 to 2½ ft..... | 2 00 | 20 00 | |
| Kerria Japonica, double (Corchorus) | | | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| 3 to 4 ft..... | 1 35 | 11 00 | |
| “ Japonica, Single | | | |
| 18 to 24 in..... | 1 00 | 10 00 | |
| 2 to 2½ ft..... | 1 25 | 11 00 | |
| “ Japonica variegata | | | |
| 18 to 24 in..... | 1 25 | 10 00 | |
| Laurus Benzoin (see Lindera) | | | |
| Lespedeza bicolor | | | |
| 2 to 2½ ft..... | 1 25 | | |

| | Per 10 | Per 100 | Per 1000 |
|---|--------|---------|----------|
| Ligustrum ibota, as commonly sold, not upright | | | |
| 18 to 24 in..... | 85 | 6 00 | |
| 2 to 2½ ft..... | 1 00 | 7 00 | 65 00 |
| 3 to 3½ ft..... | 1 25 | 8 00 | 70 00 |
| 6 to 8 ft., mammoth specimens..... | 7 50 | | |
| " amurense, Amoor Privet | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| " ovalifolium, California Privet | | | |
| 12 to 18 in..... | 25 | 1 35 | 12 00 |
| 18 to 24 in..... | 35 | 2 00 | 18 00 |
| 2 to 3 ft..... | 60 | 3 00 | 25 00 |
| 3 to 4 ft..... | 75 | 3 50 | 30 00 |
| 18 to 24 in., transplanted, bushy..... | 60 | 4 00 | 40 00 |
| 2 to 3 ft., transplanted, bushy..... | 75 | 5 00 | 50 00 |
| 3 to 4 ft., transplanted, bushy..... | 1 00 | 7 00 | 60 00 |
| The several grades of California Privet offered as "transplanted, bushy" are very fine plants. They have been actually transplanted in the nursery, they are nice bushy plants and heavily rooted. For planting for a hedge for immediate effect this transplanted stock will give quicker results than the regular nursery grades. | | | |
| " Regelianum | | | |
| 18 to 24 in..... | 1 00 | 9 00 | |
| 2 to 3 ft..... | 1 35 | 12 00 | |
| 3 to 4 ft..... | 1 75 | 15 00 | |
| 4 to 5 ft., heavy..... | 2 50 | 20 00 | |
| 5 to 6 ft., heavy..... | 3 00 | 25 00 | |
| " vulgaris, Common Privet | | | |
| 12 to 18 in..... | 50 | 4 00 | 30 00 |
| 18 to 24 in..... | 85 | 7 00 | |
| Lindera Benzoin, Spice Bush | | | |
| 2 to 3 ft..... | 1 50 | 15 00 | |
| Lonicera Bella albida | | | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft..... | 1 50 | 12 00 | |
| 6 to 8 ft., heavy..... | 2 00 | 18 00 | |
| " bella candida | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft., heavy..... | 1 50 | 12 00 | |
| 5 to 6 ft., heavy..... | 1 75 | 15 00 | |
| " fragrantissima | | | |
| 2 to 3 ft..... | 1 50 | 15 00 | |
| 3 to 4 ft..... | 2 00 | 20 00 | |
| " Ledebouri, | | | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| " Morrowii | | | |
| 2 to 3 ft..... | 1 00 | 7 00 | |
| 3 to 4 ft., heavy..... | 1 25 | 9 00 | |
| " Orientalis, White | | | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft..... | 1 50 | 12 00 | |
| 5 to 6 ft., heavy..... | 1 75 | 15 00 | |
| " Ruprechtiana | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft., heavy..... | 1 50 | 13 00 | |
| 6 to 8 ft., large specimens..... | 3 50 | | |

| | Per 10 | Per 100 | Per 1000 |
|--|--------|---------|----------|
| " Tatarica alba | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 18 to 24 in..... | 85 | 7 00 | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| " Tatarica, Red | | | |
| 18 to 24 in..... | 85 | | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft..... | 1 50 | 12 00 | |
| " Tatarica grandiflora rosea, Pink | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft..... | 1 50 | 12 00 | |
| 3 to 4 ft., heavy..... | 1 50 | 13 00 | |
| " Tatarica Yellow Berried | | | |
| 18 to 24 in..... | 85 | | |
| 2 to 3 ft..... | 1 00 | | |
| Myrica cerifera, Wax Myrtle | | | |
| 18 to 24 in..... | 1 35 | 13 00 | |
| Oxydendron arboreum, Sorrel Tree | | | |
| 2 to 3 ft..... | 3 50 | 35 00 | |
| 5 to 6 ft., with ball..... | 10 00 | | |
| Philadelphus aureus (Syringa) Golden-leaved | | | |
| 12 to 18 in..... | 1 00 | 9 00 | |
| 18 to 24 in..... | 1 25 | 10 00 | |
| " coronarius, Sweet Flowered Mock Orange | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft..... | 1 50 | 12 00 | |
| " grandiflorus, Large Flowered Mock Orange | | | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft..... | 1 50 | 12 00 | |
| 5 to 6 ft..... | 1 75 | 15 00 | |
| 4 to 5 ft., heavy..... | 1 75 | 15 00 | |
| " Lemoinei | | | |
| 12 to 18 in..... | 85 | 7 00 | |
| 18 to 24 in..... | 1 00 | 8 00 | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| 3 to 4 ft., heavy..... | 1 50 | 13 00 | |
| Philadelphus maculata purpurea, New Pink | | | |
| 18 to 24 in..... | 2 00 | | |
| " nanus, Dwarf Mock Orange | | | |
| 18 to 24 in..... | 1 00 | 9 00 | |
| " Zeyherii | | | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft..... | 1 50 | 12 00 | |
| 5 to 6 ft..... | 1 75 | 15 00 | |
| Photinia villosa | | | |
| 2 to 3 ft..... | 1 75 | | |
| 3 to 4 ft..... | 2 00 | | |
| Potentilla fruticosa | | | |
| 18 to 24 in..... | 1 00 | 9 00 | |
| Prinos verticillata (see Ilex verticillata) | | | |
| Prunus Japonica (see Amygdalus nana) | | | |

| | Per 10 | Per 100 | Per 1000 |
|--|--------|---------|----------|
| " Maritima, Beach Plum | | | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| " Pissardi, purple-leaved Plum | | | |
| 4 to 5 ft..... | 1 75 | 15 00 | |
| " triloba, dbl. fl. Plum | | | |
| 3 to 4 ft..... | 1 50 | 15 00 | |
| Ptelea trifoliata, Hop Tree | | | |
| 18 to 24 in..... | 1 00 | 8 00 | |
| Pyrus Japonica, see Cydonia Japonica | | | |
| " Arbutifolia, see Aronia arbutifolia | | | |
| " arbutifolia Brilliantissima, see Aronia arbutifolia Brilliantissima | | | |
| " Bechtels, and other large growing sorts, see Trees | | | |
| " floribunda, see Aronia floribunda | | | |
| Rhamnus catharticus, Common Buckthorn | | | |
| 4 to 5 ft..... | 1 25 | 8 00 | |
| 6 to 7 ft..... | 1 50 | 12 00 | |
| " frangula | | | |
| 2½ to 3 ft..... | 1 25 | 10 00 | |
| Rhodotyphus kerroides | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| Rhus aromatico, Sweet Sumach | | | |
| 18 in. | 2 50 | 22 00 | |
| 2 to 3 ft..... | 3 00 | 25 00 | |
| 3 to 4 ft..... | 3 50 | 30 00 | |
| 4 to 5 ft..... | 4 00 | 35 00 | |
| " copallina, Shining Sumach | | | |
| 18 to 24 in..... | 1 00 | | |
| 2 to 3 ft..... | 1 50 | 12 00 | |
| 3 to 4 ft..... | 1 75 | 15 00 | |
| 4 to 5 ft..... | 2 00 | 18 00 | |
| " cotinus, Mist or Smoke tree | | | |
| 18 to 24 in..... | 75 | 6 00 | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 11 00 | |
| Rhus glabra, Smooth Sumach | | | |
| 18 to 24 in..... | 75 | 6 00 | |
| 2 to 3 ft..... | 85 | 7 00 | |
| 3 to 4 ft..... | 1 00 | 9 00 | |
| 4 to 6 ft..... | 1 25 | 10 00 | |
| 6 to 8 ft..... | 1 75 | | |
| " glabra laciniata, Cut-leaved Sumach | | | |
| 12 to 18 in..... | 1 25 | 10 00 | |
| 18 to 24 in..... | 1 50 | 15 00 | |
| " Osbecki, Japanese Sumach | | | |
| 4 to 5 ft..... | 5 00 | | |
| " typhina, Stag's Horn Sumach | | | |
| 2 to 3 ft..... | 90 | 8 00 | |
| " typhina laciniata, Cut-leaved Sumach | | | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| Ribes alpinum | | | |
| 2 to 3 ft..... | 1 25 | 10 00 | |

| | Per 10 | Per 100 | Per 1000 |
|--|--------|---------|----------|
| " aureum, Yellow flowering Currant | | | |
| 2 to 2½ ft..... | 85 | 8 00 | |
| 2½ to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| " floridum, Missouri Black Currant | | | |
| 2 to 3 ft..... | 85 | 7 50 | |
| 3 to 4 ft..... | 1 25 | | |
| 4 to 5 ft., heavy..... | 1 50 | 15 00 | |
| 5 to 6 ft., heavy..... | 2 00 | 18 00 | |
| Ribes sanguineum, Red Flowered Currant | | | |
| 2 to 3 ft..... | 1 50 | 13 00 | |
| Robinia hispida rosea, Pink rose Acacia | | | |
| 2 to 3 ft..... | 1 25 | 12 00 | |
| 3 to 4 ft..... | 1 50 | 15 00 | |
| Rosa blanda | | | |
| 18 to 24 in..... | 1 25 | 11 00 | |
| 2 to 3 ft..... | 1 35 | | |
| " Carolina | | | |
| 18 to 24 in..... | 1 25 | 10 00 | |
| " humulis | | | |
| 18 to 24 in..... | 1 25 | 10 00 | |
| " lucida | | | |
| 18 to 24 in..... | 1 25 | 10 00 | |
| " lucida alba, White | | | |
| 18 to 24 in..... | 1 50 | 14 00 | |
| " multiflora Japonica | | | |
| 18 to 24 in..... | 1 25 | 10 00 | |
| " nitida | | | |
| 18 to 24 in..... | 1 25 | 11 00 | |
| " rubiginosa, Sweet Brier | | | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| 4 to 6 ft., heavy..... | 1 50 | 12 00 | |
| 5 in. pots..... | 2 00 | 20 00 | |
| " rubrifolia | | | |
| 2 to 3 ft..... | 1 25 | 11 00 | |
| " rugosa, Red | | | |
| 12 to 18 in..... | 85 | 7 00 | |
| 18 to 24 in..... | 1 00 | 9 00 | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| " rugosa alba, White | | | |
| 12 to 18 in..... | 85 | 7 00 | |
| 18 to 24 in..... | 1 25 | 10 00 | |
| 2 to 2½ ft..... | 1 35 | 11 00 | |
| " Conrad Ferdinand Meyer | | | |
| 2 year | 1 50 | 15 00 | |
| " Mme. Geo. Bruant, Double White | | | |
| 2 year | 1 50 | | |
| 6 in. pots | 2 00 | | |
| " setigera, Prairie Rose | | | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| 3 to 4 ft..... | 1 50 | 12 00 | |
| " Baby Rambler | | | |
| 2 year | 1 50 | 15 00 | |
| 5 in. pot..... | 2 00 | | |
| " spinosissima, Scotch Rose | | | |
| 5 in. pot..... | 2 00 | | |

Climbing and Pillar Roses

Per 10 Per 100 Per 1000

Rose, Baltimore Belle, Double White

| | | |
|-----------------|------|--|
| 3 to 4 ft..... | 1 25 | |
| 5 in. pots..... | 2 00 | |

" Crimson Rambler

| | | |
|------------------------|------|-------|
| 2 to 3 ft..... | 1 25 | 10 00 |
| 4 to 6 ft., heavy..... | 1 50 | |
| 5 in. pots..... | 2 00 | |

" Mad. Plantier

| | | |
|-----------------|------|--|
| 5 in. pots..... | 2 00 | |
|-----------------|------|--|

" Pink Rambler

| | | |
|-----------------|------|--|
| 5 in. pots..... | 2 00 | |
|-----------------|------|--|

" Queen of Prairie, Double Pink

| | | |
|-----------------|------|-------|
| 4 to 6 ft..... | 1 25 | 10 00 |
| 5 in. pots..... | 2 00 | |

" Tausendschon, Soft Pink, changing to Rosy Carmine

| | | |
|----------------|------|-------|
| 2 to 3 ft..... | 1 50 | 15 00 |
|----------------|------|-------|

" White Rambler

| | | |
|-----------------------------|------|-------|
| 2 to 3 ft..... | 1 25 | 10 00 |
| 5 in. pots..... | 2 00 | |
| 4 to 5 ft., 5 in. pots..... | 2 50 | |

" Yellow Rambler

| | | |
|-----------------|------|--|
| 5 in. pots..... | 2 00 | |
|-----------------|------|--|

Wichuraiana and Hybrids

Rosa Wichuraiana, Memorial Rose

| | | |
|-----------------|------|-------|
| 2 to 3 ft..... | 1 00 | 9 00 |
| 4 to 5 ft..... | 1 25 | 11 00 |
| 5 in. pots..... | 2 00 | |

" Dorothy Perkins, Pink, Double

| | | |
|-----------------|------|-------|
| 2 to 3 ft..... | 1 25 | 10 00 |
| 5 in. pots..... | 2 00 | |

" Evergreen Gem, White, buff in bud, Double

| | | |
|----------------|------|-------|
| 2 to 3 ft..... | 1 25 | 10 00 |
|----------------|------|-------|

" Lady Gay, Double Pink

| | | |
|-----------------|------|-------|
| 2 to 3 ft..... | 1 25 | 10 00 |
| 5 in. pots..... | 2 00 | |

" Manda's Triumph, White, Double

| | | |
|-----------------|------|-------|
| 2 to 3 ft..... | 1 25 | 10 00 |
| 5 in. pots..... | 2 00 | |

" Pink Roamer, Pink, Single

| | | |
|-----------------|------|-------|
| 2 to 3 ft..... | 1 25 | 10 00 |
| 5 in. pots..... | 2 00 | |

" Rene Andre, Carmine, Semi-double

| | | |
|-----------------|------|--|
| 5 in. pots..... | 2 00 | |
|-----------------|------|--|

" South Orange Perfection, White, Double

| | | |
|-----------------|------|-------|
| 2 to 3 ft..... | 1 25 | 10 00 |
| 5 in. pots..... | 2 00 | |

" Universal Favorite, Rose, Double

| | | |
|-----------------|------|-------|
| 2 to 3 ft..... | 1 25 | 10 00 |
| 5 in. pots..... | 2 00 | |

Roses—Hybrid Perpetual, etc.

| | Per 10 | Per 100 | Per 1000 |
|--|--------|---------|----------|
| Assorted varieties as follows: 2 years, No. 1..... | 1 50 | 15 00 | |
| COQUETTE DES ALPS, flesh white | | | |
| FRAU KARL DRUSCHKI, pure white | | | |
| GEN. JACQUIMINOT, brilliant crimson | | | |
| GRUSS AN TEPLITZ, dark red | | | |
| HERMOSA, pink | | | |
| KAISERIN AUGUSTE VICTORIA, creamy white | | | |
| MAGNA CHARTA, pink suffused with carmine | | | |
| MARGARET DICKSON, white, pale flesh center | | | |
| MRS. JOHN LAING, soft pink | | | |
| MRS. R. G. SHARMAN CRAWFORD, deep rose pink | | | |
| PAUL NEYRON, deep rose | | | |
| PERSIAN YELLOW | | | |
| PRINCE CAMILLE DE ROHAN, velvety crimson | | | |
| ULRICH BRUNNER, cherry red | | | |

Tree Roses

| | | |
|---|------|-------|
| Crimson Rambler, bright crimson | | |
| 3 to 3½ ft. stem, 2 year head..... | 5 00 | |
| Gen. Jacquiminot, crimson | | |
| 3 to 3½ ft. stem, 2 year head..... | 5 00 | |
| Margaret Dickson, white, pale flesh centre | | |
| 3 to 3½ ft. stem, 2 year head..... | 5 00 | |
| Mrs. John Laing, soft pink | | |
| 3 to 3½ ft. stem, 2 year head..... | 5 00 | |
| Prince Camille de Rohan, velvety crimson | | |
| 3 to 3½ ft. stem, 2 year head..... | 5 00 | |
| Rubus odoratus, Flowering Raspberry | | |
| 18 to 24 in..... | 1 00 | 9 00 |
| Sambucus aurea, Golden Elder | | |
| 18 to 24 in..... | 1 00 | 9 00 |
| 2 to 3 ft..... | 1 25 | 10 00 |
| 3 to 4 ft..... | 1 35 | 12 00 |
| " Canadensis, Elderberry | | |
| 2 to 3 ft..... | 85 | 7 50 |
| 3 to 4 ft..... | 1 00 | 9 00 |
| 4 to 6 ft..... | 1 25 | 10 00 |
| " nigra laciniata, Cut-leaved Elder | | |
| 2 to 2½ ft..... | 1 00 | 9 00 |
| 3 to 4 ft..... | 1 25 | 10 00 |
| " racemosa, Red-berried Elderberry | | |
| 2 to 3 ft..... | 1 25 | 11 00 |
| 3 to 4 ft..... | 1 35 | 12 00 |
| Spiraea Anthony Waterer, Pink Dwarf | | |
| 18 to 24 in..... | 1 00 | 8 00 |
| 2 to 2½ ft..... | 1 25 | 10 00 |
| " arguta | | |
| 2 to 3 ft..... | 1 25 | 10 00 |
| " Billardi, Pink | | |
| 2 to 2½ ft..... | 85 | 7 50 |
| 3 to 4 ft..... | 1 00 | 9 00 |
| 4 to 5 ft..... | 1 25 | 10 00 |
| " bumalda | | |
| 18 in. | 1 00 | 9 00 |
| " callosa alba, Dwarf White | | |
| 18 to 24 in..... | 1 25 | 10 00 |
| " callosa rosea, pink | | |
| 18 to 24 in..... | 75 | |
| 2 to 3 ft..... | 85 | 7 50 |
| 3 to 4 ft..... | 1 00 | 9 00 |

| | Per 10 | Per 100 | Per 1000 |
|--|--------|---------|----------|
| " callosa superba | | | |
| 2 to 2½ ft..... | 1 25 | 10 00 | |
| " carpinaefolia | | | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 4½ ft..... | 1 35 | 11 00 | |
| " Douglassi rosea | | | |
| 18 to 24 in..... | 85 | 7 50 | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| " Lindleyana | | | |
| 18 to 24 in..... | 1 00 | | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| " opulifolia, White | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| 3 to 4 ft..... | 1 00 | 8 00 | |
| 4 to 5 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft., heavy..... | 1 50 | 13 00 | |
| 5 to 6 ft., heavy..... | 1 75 | 15 00 | |
| " opulifolia Aurea, Golden Leaf | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 9 00 | |
| 4 to 5 ft..... | 1 35 | 10 00 | |
| 5 to 6 ft., heavy..... | 1 50 | 13 00 | |
| " prunifolia, Bridal Wreath | | | |
| 2 to 3 ft..... | 1 25 | 11 00 | |
| 3 to 4 ft..... | 1 50 | 12 00 | |
| " Reevesii, Single | | | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 3½ ft..... | 1 25 | 11 00 | |
| 4 to 4½ ft., heavy..... | 1 50 | | |
| " Reevesii, Double | | | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 11 00 | |
| " salicifolia, White | | | |
| 3 to 4 ft..... | 1 00 | 9 00 | |
| 4 to 5 ft..... | 1 25 | 11 00 | |
| 6 to 7 ft., heavy..... | 1 50 | 13 00 | |
| " sorbifolia | | | |
| 2 to 3 ft..... | 1 25 | | |
| " Thunbergii, White | | | |
| 18 to 24 in..... | 1 25 | 10 00 | |
| 2 to 3 ft..... | 1 35 | 11 00 | |
| " tomentosa, Pink | | | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| " vaccinifolia | | | |
| 5 to 6 ft..... | 1 35 | | |
| " Van Houttei | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 9 00 | |
| Staphylea bumalda | | | |
| 2 to 3 ft..... | 1 25 | | |
| " trifoliata | | | |
| 3 to 4 ft..... | 1 25 | | |
| 4 to 5 ft..... | 1 50 | | |
| 5 to 6 ft..... | 1 75 | | |
| Stephanandra flexuosa | | | |
| 18 to 24 in..... | 1 00 | 9 00 | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| 3 to 4 ft., heavy..... | 1 35 | 12 00 | |
| 4 to 5 ft., heavy..... | 1 75 | 15 00 | |

| | Per 10 | Per 100 | Per 1000 |
|--|--------|---------|----------|
| Styrax Japonica | | | |
| 3 to 4 ft..... | 1 50 | 13 00 | |
| Symphoricarpus racemosus, White Snowberry | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| “ racemosus mollis, Large White-berried | | | |
| 3 to 4 ft..... | 1 35 | | |
| “ vulgaris, Indian Currant | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | 90 00 |
| 4 to 4½ ft..... | 1 35 | | |
| Syringa Japonica, Japanese Tree Lilac | | | |
| 2 to 3 ft..... | 1 50 | | |
| 3 to 4 ft..... | 2 50 | | |
| “ Emodi, White, late | | | |
| 3 to 4 ft..... | 3 00 | | |
| 4 to 6 ft., heavy..... | 3 50 | | |
| “ Josikaea, Violet | | | |
| 2 to 3 ft..... | 2 50 | | |
| 3 to 4 ft..... | 3 00 | | |
| 4 to 5 ft..... | 3 50 | | |
| “ Pekinensis | | | |
| 2 to 3 ft..... | 1 50 | | |
| 3 to 4 ft..... | 2 50 | | |
| “ Persica | | | |
| 4 to 5 ft., heavy..... | 2 00 | 18 00 | |
| “ Persica alba | | | |
| 2 to 3 ft..... | 1 50 | 15 00 | |
| “ Rothomagensis (Chinensis), Red Persian | | | |
| 2 to 3 ft..... | 1 35 | 13 00 | |
| 3 to 4 ft..... | 1 50 | 15 00 | |
| 4 to 5 ft., heavy..... | 2 50 | 25 00 | |
| 5 to 6 ft..... | 3 50 | | |
| “ vulgaris, Common Purple Lilac | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 35 | 12 00 | |
| 4 to 5 ft..... | 1 75 | 15 00 | |
| “ vulgaris alba, Common White Lilac | | | |
| 12 to 18 in..... | 85 | 7 00 | |
| 18 to 24 in..... | 1 00 | 9 00 | |
| 2 to 3 ft..... | 1 25 | 10 00 | |

Choice Named Lilacs, Single and Double

| | | |
|----------------|------|-------|
| 3 to 4 ft..... | 3 50 | 30 00 |
|----------------|------|-------|

LIST OF VARIETIES OF NAMED LILACS.

ALPHONSE LAVALLE, double. Large panicles, blue, shaded violet.
BELLE DE NANCY, double. Large satiny rose, white centre. Fine.
CHARLES X, single. Large, reddish purple.
FRAU DAMMANN, single. White, panicles very large.
LUDWIG SPAETH, single. Purplish red. Panicles large. Very fine.
MARIE LEGRAYE, single. White. Panicles large. Dwarf.
MME. ABEL CHATNEY, double. White. Large panicles.
PRESIDENT GREVY, double. Blue. Flowers very large.
SENATOR VOLLAND, double. Rosy Red. Very fine.

| | | |
|-------------------------|------|------|
| Tamarix Africana | | |
| 2 to 2½ ft..... | 85 | 7 50 |
| “ Gallica | | |
| 18 to 24 in..... | 85 | 7 50 |
| 3 to 4 ft..... | 1 00 | 9 00 |

| | Per 10 | Per 100 | Per 1000 |
|--|--------|---------|----------|
| " Indica | | | |
| 18 to 24 in..... | 85 | 7 50 | |
| " Odessana | | | |
| 2 to 3 ft..... | 85 | | |
| 3 to 4 ft..... | 1 00 | 9 00 | |
| 4 to 5 ft..... | 1 25 | 10 00 | |
| 5 to 6 ft..... | 1 35 | 12 00 | |
| Viburnum cassinoides | | | |
| 12 to 18 in..... | 1 50 | 12 00 | |
| 18 to 24 in..... | 1 75 | 15 00 | |
| 2 to 3 ft..... | 2 00 | 18 00 | |
| " acerifolium, Maple-leaved | | | |
| 18 to 24 in..... | 1 75 | 15 00 | |
| 2 to 3 ft..... | 2 00 | 18 00 | |
| " dentatum, Arrow Wood | | | |
| 18 to 24 in..... | 1 00 | 9 00 | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| 3 to 4 ft..... | 1 35 | 12 00 | |
| " dentatum Molle | | | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| 3 to 4 ft..... | 1 35 | 12 00 | |
| 5 to 6 ft..... | 1 75 | 17 00 | |
| 6 to 7 ft..... | 2 00 | 20 00 | |
| " Japonicum (Sieboldi) | | | |
| 2 to 3 ft., bushy..... | 2 50 | 25 00 | |
| 3 to 4 ft., heavy..... | 3 50 | 35 00 | |
| 4 to 5 ft., heavy..... | 5 00 | | |
| " Lantana, Hobble Bush | | | |
| 18 to 24 in..... | 85 | 7 50 | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 35 | 12 00 | |
| " lentago | | | |
| 2 to 3 ft..... | 1 75 | 15 00 | |
| 3 to 4 ft..... | 2 00 | 18 00 | |
| " opulus sterilis, Common Snowball | | | |
| 18 to 24 in..... | 85 | 7 50 | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 11 00 | |
| " oxycoccos (opulus), High Bush Cranberry | | | |
| 18 to 24 in..... | 1 00 | 8 00 | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| 3 to 4 ft..... | 1 35 | 12 00 | |
| " plicatum, Japanese Snowball (true) | | | |
| 18 to 24 in..... | 1 25 | 10 00 | |
| 2 to 3 ft..... | 1 35 | 12 00 | |
| 3 to 4 ft..... | 1 75 | 15 00 | |
| 4 to 5 ft..... | 2 00 | 18 00 | |
| 5 to 6 ft..... | 2 50 | 20 00 | |
| 6 to 7 ft..... | 3 00 | 30 00 | |
| " plicatum rotundifolium | | | |
| 2 to 3 ft..... | 1 35 | 12 00 | |
| 3 to 4 ft..... | 1 75 | 15 00 | |
| " prunifolium, Black Haw | | | |
| 2 to 3 ft..... | 2 00 | 20 00 | |
| 3 to 3½ ft..... | 3 00 | 30 00 | |
| " Sieboldi (See Japonicum) | | | |
| " tomentosum | | | |
| 2 to 3 ft..... | 1 50 | 12 00 | |
| 3 to 4 ft..... | 1 75 | 15 00 | |

| | Per 10 | Per 100 | Per 1000 |
|--|--------|---------|----------|
| Vitex Agnus Castus, Blue | | | |
| 2 to 2½ ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 50 | 12 00 | |
| 4 to 5 ft., heavy..... | 1 75 | 15 00 | |
| “ incisa , | | | |
| 18 to 24 in..... | 1 00 | 9 00 | |
| 2 to 3 ft..... | 1 50 | 12 00 | |
| 3 to 4 ft..... | 1 75 | 15 00 | |
| Weigela amabilis | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| “ arborea versicolor | | | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft..... | 1 35 | 11 00 | |
| “ candida, White | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft..... | 1 35 | 11 00 | |
| 5 to 6 ft., heavy..... | 1 50 | 15 00 | |
| “ Eva Rathke, Crimson | | | |
| 2 to 3 ft..... | 1 00 | 9 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft..... | 1 50 | 13 00 | |
| “ floribunda, Crimson | | | |
| 2 to 3 ft., bushy..... | 1 00 | 9 00 | |
| 3 to 4 ft., bushy..... | 1 25 | 10 00 | |
| “ Groenewegenii, Dark Rose | | | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| 4 to 5 ft..... | 1 35 | 11 00 | |
| “ nana variegata | | | |
| 18 to 24 in..... | 1 00 | 9 00 | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| 3 to 4 ft..... | 1 35 | 11 00 | |
| “ rosea, Pink | | | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| 3 to 4 ft..... | 1 35 | 11 00 | |
| 3 to 4 ft., heavy..... | 1 50 | 13 00 | |
| 5 to 6 ft., heavy..... | 2 00 | 18 00 | |
| Xanthorrhiza apiifolia, Yellow Root | | | |
| 6 to 12 in..... | 1 00 | 10 00 | |

Evergreen Shrubs

Per 10 Per 100 Per 1000

Abelia rupestris

| | | | |
|------------------|------|-------|--|
| 12 to 18 in..... | 3 50 | 30 00 | |
| 2 ft. bushy..... | 5 00 | | |

Andromeda floribunda

| | | | |
|------------------------------|-------|--|--|
| 15 to 18 in., with ball..... | 10 00 | | |
|------------------------------|-------|--|--|

" Japonica

| | | | |
|------------------------------|------|--|--|
| 12 to 15 in., with ball..... | 7 50 | | |
|------------------------------|------|--|--|

Azalea amoena, Evergreen Azalea

| | | | |
|--------------------------|------|--|--|
| 18 in., field grown..... | 6 00 | | |
|--------------------------|------|--|--|

" amoena Hinondigiro, Bright Carmine

| | | | |
|--------------------------------------|-------|--|--|
| 12 to 15 in., bushy, 6 in. pots..... | 10 00 | | |
|--------------------------------------|-------|--|--|

Berberis ilicifolia, Holly-leaved Barberry

| | | | |
|------------------|------|-------|--|
| 12 to 18 in..... | 1 25 | 10 00 | |
| 18 to 24 in..... | 1 75 | 15 00 | |

Buxus arborescens, Bush Form

| | | | |
|------------------------------|------|--|--|
| 18 to 24 in., with ball..... | 5 00 | | |
|------------------------------|------|--|--|

" Japonica aurea, Golden-leaved

| | | | |
|------------------------------|-------|--|--|
| 18 in. broad, with ball..... | 10 00 | | |
|------------------------------|-------|--|--|

" sempervirens

| | | | |
|---------------------------------------|-------|-------|--------|
| 9 to 10 in., bushy, with ball..... | 1 75 | 15 00 | 150 00 |
| 15 to 18 in., bushy, with ball..... | 2 00 | 18 00 | 180 00 |
| 2 to 2½ ft. bush form, with ball..... | 6 50 | 60 00 | |
| 4 ft., bush form, with ball..... | 50 00 | | |

The 9 to 10 and 15 to 18 inch box bush are especially grown for edging. They are good bushy plants and each plant carries a small ball of earth. They are just the stock to use where an immediate effect is required.

Buxus sempervirens, pyramid

| | | | |
|-----------------------|-------|--|--|
| 3 ft., with ball..... | 20 00 | | |
| 4 ft., with ball..... | 30 00 | | |

" suffruticosa, Box Edging

| | | | |
|------------------------------------|------|------|-------|
| 4 to 6 in..... | 50 | 5 00 | 50 00 |
| 6 to 8 in., 3 to 4 ft., broad..... | 1 00 | 8 00 | |

See also *Buxus sempervirens*

Calluna vulgaris, Heath

| | | | |
|------------------------------|------|-------|--|
| 5 to 6 in., 3½ in. pots..... | 2 00 | 15 00 | |
|------------------------------|------|-------|--|

Crataegus Pyracantha Lalandi

| | | | |
|------------------------------|------|--|--|
| 12 to 18 in., with ball..... | 2 50 | | |
| 18 to 24 in., with ball..... | 3 00 | | |
| 2 to 2½ ft., with ball..... | 3 50 | | |

Daphne cneorum

| | | | |
|------------------------|------|-------|--|
| 12 in., with ball..... | 5 00 | 50 00 | |
|------------------------|------|-------|--|

Erica stricta

| | | | |
|------------------------------|------|-------|--|
| 5 to 6 in., 3½ in. pots..... | 2 00 | 15 00 | |
|------------------------------|------|-------|--|

These *Ericas* or "Heath" as they are commonly called, are very nice for edging evergreen beds. They are quite hardy.

| | Per 10 | Per 100 | Per 1000 |
|---|--------|---------|----------|
| Ilex aquifolia, English Holly, pyramids | | | |
| 2½ to 3 ft., with ball..... | 12 50 | | |
| 3 to 4 ft., with ball..... | 17 50 | | |
| “ crenata, Japanese Holly | | | |
| 18 to 24 in..... | 4 00 | 35 00 | |
| 2 to 2½ ft..... | 5 00 | 50 00 | |
| Kalmia latifolia | | | |
| 18 to 24 in., with ball..... | 6 00 | 60 00 | |
| 2½ to 3 ft., with ball..... | 20 00 | | |
| Bushy clumps, transplanted last spring. | | | |
| Leucothaea Catesbaei | | | |
| 12 to 18 in..... | 3 00 | 25 00 | |
| Mahonia aquifolia | | | |
| 12 to 18 in..... | 1 25 | 10 00 | |
| 2 to 3 ft., with ball..... | 3 50 | 35 00 | |
| “ Japonica | | | |
| 18 to 24 in., bushy..... | 3 50 | 35 00 | |
| Osmanthus aquifolia | | | |
| 18 to 24 in., with ball..... | 7 50 | | |
| 2½ to 3 ft., with ball..... | 17 50 | | |
| Rhododendron punctatum. Early flowering Rhododendron | | | |
| 12 to 15 in., bushy, with ball..... | 7 50 | 65 00 | |
| These are good bushy clumps. | | | |
| Rhododendron ferrugineum | | | |
| 1 ft., bushy..... | 7 50 | | |
| “ hirsutum | | | |
| 1 ft., bushy..... | 7 50 | | |

Rhododendrons

| | |
|---|-------|
| Album elegans, white | |
| 18 to 24 in..... | 8 50 |
| Album grandiflorum, flesh white | |
| 18 to 24 in..... | 8 50 |
| Chas. Bagley, crimson | |
| 18 in. | 10 00 |
| Everestianum, rose | |
| 18 in. | 8 50 |
| Giganteum, cherry red | |
| 18 in. | 10 00 |
| Lady Armstrong, red | |
| 18 in. | 10 00 |
| Lady Cleremont, rosy crimson | |
| 18 in. | 10 00 |
| Mrs. Milner, rosy crimson | |
| 18 in. | 10 00 |
| Old Port, claret red | |
| 18 in. | 10 00 |
| Parsons grandiflorum, bright carmine | |
| 18 to 24 in..... | 8 50 |
| Purpureum elegans, purplish rose | |
| 18 to 24 in..... | 8 50 |
| Roseum elegans, pink | |
| 18 to 24 in..... | 8 50 |

Evergreens

SEE ALSO EVERGREEN SHRUBS

We feel that we cannot say too much of our evergreens. We give particular care and attention to their culture, transplanting them as frequently as may be necessary in order to secure an abundance of fibrous roots. To this end they are transplanted every two years, and frequently sheared so that they have a good compact and shapely appearance.

All evergreens are dug with ball of earth and the ball sewed in burlap, the cost of which is included in the prices shown in the catalogue.

Per 10 Per 100 Per 1000

Abies (See also Picea)

Abies Canadensis (See Tsuga Canadensis)

" Douglassi, Douglass Fir

18 to 24 in., with ball..... 7 50

" Nordmanniana, Nordman's Silver Fir

2 to 3 ft., with ball.....12 50

3 to 4 ft., with ball.....17 50

4 to 4½ ft., with ball.....20 00

" subalpina

2 ft., with ball.....15 00

4 ft., with ball.....50 00

Blota (See Thuya)

Cedrus Atlantica glauca, Mt. Atlas Cedar

2 to 2½ ft., with ball.....10 00

3 to 4 ft., with ball.....17 50

4 to 5 ft., with ball.....22 50

" Deodara, Deodare Cedar

2 to 2½ ft., with ball.....10 00

3 to 4 ft., with ball.....17 50

" Libani, Cedar of Lebanon

2 to 2½ ft., with ball.....10 00

4 to 5 ft., with ball.....22 50

Cupressus Lawsoniana Alumi, Blue Lawson's Cypress

18 to 24 in., with ball..... 7.50

" Triomphe de Boskoop, Blue Lawson's Cypress

3 to 4 ft., with ball.....17 50

Juniperus communis

12 to 18 in., with ball..... 3 50

18 to 24 in., with ball..... 5 00

" elegantissima Lee, Golden Cedar

2½ to 3 ft., with ball.....15 00

" Hibernica, Irish Juniper

2 to 3 ft., with ball..... 3 00 25 00

3 to 4 ft., with ball..... 4 00 35 00

4 to 5 ft., with ball..... 5 00 40 00

" Japonica aurea, Golden Juniper

1½ to 2 ft., with ball.....12 50

2 to 2½ ft., with ball.....15 00

" Sabina

18 to 24 in., with ball..... 4 00 35 00

2 to 2½ ft., with ball..... 5 00 40 00

2½ to 3 ft., with ball..... 6 00 50 00

3 to 3½ ft., with ball.....10 00

" Schottei

2½ to 3 ft., with ball.....15 00

3 to 3½ ft., with ball.....20 00

3½ to 4 ft., with ball.....22 50

5 to 6 ft., with ball.....40 00

Per 10 Per 100 Per 1000

Juniperus sinensis, Chinese Juniper

2½ to 3 ft., with ball.....15 00
 4 to 5 ft., with ball.....30 00

" sinensis argentea variegata

18 to 24 in., with ball.....7 50
 2 to 3 ft., with ball.....13 50
 5 to 6 ft., with ball, specimen.....60 00

" sinensis aurea, Golden Chinese Juniper

2½ to 3 ft., with ball.....13 50

" stricta

18 to 24 in., with ball.....7 50

" suecica compacta

12 to 18 in., with ball.....2 50 20 00
 18 to 24 in., with ball.....3 50 30 00
 2 to 3 ft., with ball.....4 00 35 00

" Tamaricifolia

18 to 24 in., with ball.....10 00
 2 to 2½ ft., with ball.....12 50
 2½ to 3 ft., with ball.....15 00
 3 to 3½ ft., with ball.....17 50

" tripartita

2½ ft., with ball.....17 50

" Virginiana glauca, Blue Red Cedar

2 to 2½ ft., with ball.....15 00
 3 to 3½ ft., with ball.....17 50
 4 to 4½ ft., with ball.....20 00
 5 to 6 ft., with ball.....40 00

Picea (see also abies)**" Alcockiana**

18 in., with ball.....10 00
 2½ to 3 ft., with ball.....20 00

" concolor violacea

2 ft., with ball.....15 00
 3 ft., with ball.....25 00

" excelsa, Norway Spruce

4 to 4½ ft., specimen, with ball.....15 00
 5 to 6 ft., specimen, with ball.....20 00

" excelsa inverta

2 to 2½ ft., with ball.....12 50
 3 to 4 ft., with ball.....17 50
 4 to 5 ft., with ball.....20 00
 6 to 8 ft., with ball.....40 00
 8 to 9 ft., with ball.....50 00

" excelsa pyramidalis, Pyramidal Norway Spruce

2 to 2½ ft., with ball.....10 00
 3 to 4 ft., with ball.....20 00

" Maxwell, Dwarf Norway Spruce

18 in., 10 to 12 in., broad.....10 00

" nigra Doumetti, Dwarf Black Spruce

2 to 3 ft., with ball.....13 50

" Orientalis, Oriental Spruce

2½ to 3 ft., with ball.....15 00
 4 to 5 ft., with ball.....30 00

" polita, Tiger-tail Spruce

18 in.10 00
 2 to 2½ ft.....15 00

" pungens Koster's Blue Spruce, selected Blue

2 to 2½ ft., with ball.....25 00
 3 to 3½ ft., with ball.....30 00
 4½ to 5 ft., with ball, specimens.....100 00

" Remonti, Dwarf Norway Spruce

18 to 24 in., with ball.....15 00
 3 to 3½ ft., with ball.....30 00

Per 10 Per 100 Per 1000

Pinus cembra, Swiss Stone Pine

| | | |
|-----------------------------|-------|--|
| 2½ to 3 ft., with ball..... | 12 50 | |
| 4 to 4½ ft., with ball..... | 22 50 | |

" excelsa, Himalayan Pine

| | | |
|----------------------------|-------|--|
| 3 to 4 ft., with ball..... | 13 50 | |
| 5 to 6 ft., with ball..... | 22 50 | |

" Mughus, Dwarf Mountain Pine

| | | |
|-----------------------------|-------|--|
| 2 to 2½ ft., with ball..... | 12 50 | |
|-----------------------------|-------|--|

Retinisporas

We have probably the largest and finest stock of Retinisporas, in all sizes, in the country. Plants from 1 foot to 11 feet. All sheared in good compact form and many times transplanted. Every plant is dug with a large ball of earth and the ball sewed in burlap. Even our smallest plants can be termed "a specimen plant." Considering the quality of our stock, the prices quoted are more than reasonable.

Retinispora eriocoides

| | | |
|-----------------------------|------|-------|
| 1½ to 2 ft., with ball..... | 3 50 | 30 00 |
| 2 to 2½ ft., with ball..... | 5 00 | 40 00 |
| 2½ to 3 ft., with ball..... | 6 00 | 50 00 |

" filifera

| | | |
|----------------------------|-------|--|
| 4 to 5 ft., with ball..... | 17 50 | |
| 5 to 6 ft., with ball..... | 22 50 | |
| 6 to 7 ft., with ball..... | 30 00 | |

" filifera aurea

| | | |
|------------------------------|-------|--|
| 15 to 18 in., with ball..... | 15 00 | |
|------------------------------|-------|--|

" obtusa

| | | |
|-----------------------------|-------|--|
| 2½ to 3 ft., with ball..... | 12 50 | |
|-----------------------------|-------|--|

" obtusa compacta

| | | |
|------------------------------|-------|--|
| 12 to 15 in., with ball..... | 3 50 | |
| 2½ ft., with ball..... | 7 50 | |
| 3 to 3½ ft., with ball..... | 15 00 | |
| 3½ to 4 ft., with ball..... | 17 50 | |

" pisifera

| | | |
|----------------------------|------|--|
| 3 to 4 ft., with ball..... | 7 50 | |
|----------------------------|------|--|

" pisifera aurea, Golden

| | | |
|------------------------------|-------|-------|
| 12 to 18 in., with ball..... | 3 00 | 25 00 |
| 18 to 24 in., with ball..... | 3 50 | 30 00 |
| 2 to 2½ ft., with ball..... | 5 00 | 40 00 |
| 3 to 4 ft., with ball..... | 7 50 | |
| 4 to 5 ft., with ball..... | 12 50 | |
| 5 to 6 ft., with ball..... | 15 00 | |
| 6 to 7 ft., with ball..... | 27 50 | |
| 7 to 8 ft., with ball..... | 35 00 | |
| 8 to 9 ft., with ball..... | 40 00 | |
| 10 to 11 ft., with ball..... | 50 00 | |
| 11 to 12 ft., with ball..... | 60 00 | |

" plumosa

| | | |
|------------------------------|-------|-------|
| 12 to 18 in., with ball..... | 3 00 | 25 00 |
| 18 to 24 in., with ball..... | 3 50 | 30 00 |
| 2 to 3 ft., with ball..... | 5 00 | 40 00 |
| 3 to 4 ft., with ball..... | 7 50 | 60 00 |
| 4 to 5 ft., with ball..... | 12 50 | |
| 5 to 6 ft., with ball..... | 15 00 | |
| 6 to 7 ft., with ball..... | 27 50 | |

" plumosa aurea, Golden

| | | |
|------------------------------|-------|-------|
| 18 to 24 in., with ball..... | 3 50 | 30 00 |
| 2 to 3 ft., with ball..... | 5 00 | 40 00 |
| 3 to 4 ft., with ball..... | 7 50 | 60 00 |
| 4 to 5 ft., with ball..... | 12 50 | |
| 5 to 6 ft., with ball..... | 15 00 | |
| 6 to 7 ft., with ball..... | 27 50 | |
| 7 to 8 ft., with ball..... | 35 00 | |
| 8 to 9 ft., with ball..... | 40 00 | |
| 10 to 11 ft., with ball..... | 50 00 | |
| 11 to 12 ft., with ball..... | 60 00 | |

| | Per 10 | Per 100 | Per 1000 |
|---|--------|---------|----------|
| " squarrosa Veitchii | | | |
| 18 to 24 in., with ball..... | 3 50 | 30 00 | |
| 2 to 3 ft., with ball..... | 5 00 | 40 00 | |
| 3 to 4 ft., with ball..... | 7 50 | 60 00 | |
| 4 to 5 ft., with ball..... | 12 50 | | |
| 5 to 6 ft., with ball..... | 15 00 | | |
| 6 to 7 ft., with ball..... | 27 50 | | |
| 7 to 8 ft., with ball..... | 35 00 | | |
| 8 to 9 ft., with ball..... | 40 00 | | |
| " squarrosa Veitchii aurea | | | |
| 4 to 4½ ft., with ball..... | 17 50 | | |
| Sciadopitys verticillata, Japanese Umbrella Pine | | | |
| 18 to 24 in..... | 17 50 | | |
| 2 to 3 ft..... | 25 00 | | |
| Taxus adpressa stricta, Upright Japanese Yew | | | |
| 2 to 2½ ft., with ball..... | 13 50 | | |
| " baccata, English Yew | | | |
| 2½ to 3 ft., with ball..... | 15 00 | | |
| 3 to 4 ft., with ball..... | 20 00 | | |
| " cuspidata | | | |
| 1 ft. by 6 in., with ball..... | 7 50 | | |
| 2 to 3 ft., with ball..... | 25 00 | | |
| " cuspidata brevifolia | | | |
| 18 to 24 in., 8 to 12 in., broad, with ball..... | 12 50 | | |
| " Dovastoni aurea, Golden Yew | | | |
| 2½ to 3 ft., with ball..... | 22 50 | | |
| " Hibernica, Irish Yew | | | |
| 2½ to 3 ft., with ball..... | 15 00 | | |
| " Hibernica aurea, Golden Irish Yew | | | |
| 2 to 2½ ft., with ball..... | 12 50 | | |
| 2½ to 3 ft., with ball..... | 15 00 | | |
| 4 to 4½ ft., with ball..... | 25 00 | | |
| " rependens | | | |
| 15 to 18 in., bushy, with ball..... | 12 50 | | |
| Thuya Hoveyii, Hovey's Golden Arbor Vitae | | | |
| 12 to 18 in., with ball..... | 2 50 | 20 00 | |
| 18 to 24 in., with ball..... | 3 50 | 30 00 | |
| 2 to 2½ ft., with ball..... | 5 00 | | |
| 2½ to 3 ft., with ball..... | 7 50 | | |
| " occidentalis, American Arbor Vitae | | | |
| 4 to 5 ft., with ball..... | 10 00 | 80 00 | |
| 5 to 6 ft., with ball..... | 12 50 | 100 00 | |
| 6 to 8 ft., with ball..... | 15 00 | 135 00 | |
| " occidentalis Geo. Peabody, Golden Arbor Vitae | | | |
| 2 to 3 ft., with ball..... | 10 00 | | |
| 4 to 5 ft., with ball..... | 20 00 | | |
| 10 to 11 ft., with ball..... | 50 00 | | |
| " occidentalis globosa, American Globe Arbor Vitae | | | |
| 10 to 12 in., with ball..... | 2 50 | 20 00 | |
| 18 to 24 in., with ball..... | 3 50 | 30 00 | |
| 2 to 2½ ft., with ball..... | 5 00 | | |
| " occidentalis pyramidalis, Pyramidal Arbor Vitae | | | |
| 18 to 24 in., with ball..... | 2 50 | | |
| 2 to 3 ft., with ball..... | 4 00 | 35 00 | |
| 3 to 4 ft., with ball..... | 6 00 | 50 00 | |
| 4 to 5 ft., with ball..... | 12 50 | 100 00 | |
| 5 to 6 ft., with ball..... | 15 00 | 125 00 | |
| 6 to 8 ft., with ball..... | 17 50 | 150 00 | |
| 8 to 9 ft., with ball..... | 20 00 | | |
| " occidentalis plicata, Fern-leaved | | | |
| 12 to 18 in., with ball..... | 2 50 | 20 00 | |
| 18 to 24 in., with ball..... | 3 50 | 30 00 | |
| 2 to 2½ ft., with ball..... | 5 00 | 40 00 | |
| 3 to 4 ft., with ball..... | 6 50 | | |
| 4 to 4½ ft., with ball..... | 10 00 | | |

| | Per 10 | Per 100 | Per 1000 |
|---|--------|---------|----------|
| " <i>occidentalis spiralis</i> | | | |
| 2 to 3 ft., with ball..... | 5 00 | | |
| 3 to 4 ft., with ball..... | 6 50 | | |
| 5 to 6 ft., with ball..... | 20 00 | | |
| " <i>occidentalis Vervaeana</i> , Golden Variegated | | | |
| 3 to 4 ft., with ball..... | 6 00 | 50 00 | |
| 4 to 5 ft., with ball..... | 10 00 | | |
| 5 to 6 ft., with ball..... | 12 50 | | |
| " <i>occidentalis Victoria</i> , Silver Tipped | | | |
| 12 to 18 in., with ball..... | 3 00 | 25 00 | |
| 18 to 24 in., with ball..... | 4 00 | 30 00 | |
| 2 to 2½ ft., with ball..... | 5 00 | | |
| " <i>pumila</i> , German Globe | | | |
| 18 to 24 in., with ball..... | 3 50 | 30 00 | |
| 2 to 3 ft., with ball..... | 4 00 | 35 00 | |
| 3 to 3½ ft., with ball..... | 5 00 | 40 00 | |
| " <i>semper aurea</i> , Golden Chinese Arbor Vitae | | | |
| 2 to 2½ ft., with ball..... | 7 50 | | |
| 3 to 4 ft., with ball..... | 13 50 | | |
| " <i>Siberica</i> , Siberian Arbor Vitae | | | |
| 12 to 18 in., with ball..... | 2 50 | 20 00 | |
| 18 to 24 in., with ball..... | 3 50 | 30 00 | |
| 2 to 2½ ft., with ball..... | 5 00 | 40 00 | |
| 3 to 3½ ft., with ball..... | 7 50 | | |
| <i>Tsuga canadensis</i> , Hemlock | | | |
| 18 to 24 in., with ball..... | 3 50 | | |
| 2 to 3 ft., with ball..... | 6 50 | | |
| 3 to 4 ft., with ball..... | 10 00 | | |
| " <i>Caroliniana</i> , Carolina Hemlock | | | |
| 3½ to 4 ft., with ball..... | 35 00 | | |
| " <i>Hookeriana</i> | | | |
| 1¾ to 2 ft., with ball..... | 15 00 | | |
| 5 to 6 ft., with ball..... | 50 00 | | |
| " <i>Sieboldi</i> | | | |
| 3 to 4 ft., with ball..... | 30 00 | | |

Vines and Climbers

Our vines are all transplanted plants. We handle them just as we do shrubs, grow them for one year, then transplant them into regular nursery rows, give them plenty of room so that we may get a good bushy well-rooted plant.

Particular attention should be given to the pot grown vines which we offer, they are good bushy plants, grown one summer in five-inch pots or larger as may be required. Many planters prefer pot grown plants for setting out in the Fall, as they are less liable to "heave out" with the frost than field grown stock, and besides this these plants will produce a stronger and more vigorous growth next Summer than the field grown stock.

When shipping these plants we knock them out of the clay pots in which they are grown and put them in paper pots. In this way the plants are delivered to customer with the ball unbroken.

| | Per 10 | Per 100 | Per 1000 |
|--|--------|---------|----------|
| <i>Actinidia arguta</i> | | | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| <i>Akebia quinata</i> | | | |
| 18 to 24 in..... | 1 00 | 9 00 | |
| 5 in. pots..... | 1 50 | 15 00 | |
| <i>Ampelopsis Veitchii</i> , Japan or Boston Ivy | | | |
| 2 to 3 year..... | 1 00 | 9 00 | |
| 5 in. pots..... | 2 00 | 20 00 | |

| | Per 10 | Per 100 | Per 1000 |
|---|--------|---------|----------|
| " Engelmanni | | | |
| 18 to 24 in., 2 year..... | 65 | 5 00 | |
| 2 to 3 ft., 3 year..... | 75 | 6 00 | |
| 5 in. pots..... | 1 50 | 15 00 | |
| " Virginica (quinquefolia), Virginia Creeper | | | |
| 18 to 24 in., 2 year..... | 85 | 7 00 | |
| 2 to 2½ ft., 3 year..... | 1 00 | 8 00 | |
| 5 in. pots..... | 1 50 | 15 00 | |
| Aristolochia Siphon, Dutchman's Pipe | | | |
| 18 to 24 in., 2 year..... | 2 50 | | |
| 6 in. pots..... | 3 00 | | |
| Bignonia radicans, Trumpet Creeper | | | |
| 18 to 24 in..... | 75 | 5 00 | |
| 2 to 3 ft..... | 85 | 7 00 | |
| 3 to 4 ft., heavy..... | 1 00 | 8 00 | |
| 4 to 5 ft., 4 year, heavy..... | 1 25 | 10 00 | |
| 5 in. pots..... | 1 50 | 15 00 | |
| " radicans aurea, yellow | | | |
| 5 in. pots..... | 2 50 | | |
| " radicans grandiflora | | | |
| 2 to 2½ ft..... | 1 00 | 9 00 | |
| 2½ to 3 ft..... | 1 25 | 10 00 | |
| 5 in. pots..... | 1 50 | 15 00 | |
| Celastris orbiculatus | | | |
| 5 in. pots..... | 2 00 | 20 00 | |
| " punctatus | | | |
| 5 in. pots..... | 2 00 | | |
| " scandens, Staff Vine | | | |
| 2 to 3 ft..... | 1 00 | 10 00 | |
| 5 in. pots..... | 1 50 | 15 00 | |
| Clematis paniculata | | | |
| 2 year strong..... | 1 25 | 10 00 | |
| " Virginiana, Virgin's Bower | | | |
| 5 in. pots..... | 2 00 | 20 00 | |
| CLEMATIS HYBRIDS | | | |
| Strong 3 year, pots..... | 2 50 | 25 00 | |
| LIST OF VARIETIES OF CLEMATIS | | | |
| GYPSY QUEEN, Dark Blue. | | | |
| HENRYII, White. | | | |
| JACKMANNI, Purple. | | | |
| LAWSONIANA, Light Blue. | | | |
| MME. ED. ANDRE, Red. | | | |
| SIEBOLDII, Lavender | | | |
| Decumaria barbara | | | |
| Strong roots, pot grown..... | 2 50 | 25 00 | |
| Dolichus Japonicus | | | |
| 2 year | 2 50 | 25 00 | |
| Euonymus radicans, Green-leaved | | | |
| 8 to 10 in..... | 75 | 6 00 | |
| 5 in. pots..... | 1 50 | 15 00 | |
| " radicans variegata | | | |
| 8 to 10 in..... | 75 | 6 00 | |
| 5 year, heavy clumps..... | 1 00 | 9 00 | |
| 5 in. pots..... | 1 50 | 15 00 | |
| Hedera Helix, English Ivy | | | |
| 5 in. pots..... | 2 00 | 20 00 | |
| Humulus lupulus, Hop Vine | | | |
| 18 to 24 in., 2 year..... | 75 | 6 00 | |
| 2 to 2½ ft., 3 year..... | 85 | 7 00 | |
| 5 in. pots..... | 1 50 | 15 00 | |
| " lupulus aurea | | | |
| 5 in. pots..... | 2 50 | | |
| Jasminum nudiflorum, Yellow Jessamine | | | |
| 5 in. pots..... | 2 50 | 25 00 | |

| | Per 10 | Per 100 | Per 1000 |
|--|--------|---------|----------|
| " officinale, White Jessamine | | | |
| 2 year | 1 50 | 12 00 | |
| 5 in. pots..... | 2 50 | 25 00 | |
| " primulinum | | | |
| 5 in. pots..... | 2 50 | 25 00 | |
| Lonicera brachypoda | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| " brachypoda aurea, Golden Honeysuckle | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| 5 in. pots..... | 1 50 | 15 00 | |
| " Glauca | | | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| " Halleana. Hall's Honeysuckle | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| 2 to 2½ ft., heavy..... | 1 00 | 9 00 | |
| 5 in. pots..... | 2 00 | 20 00 | |
| " Japonica | | | |
| 5 in. pots..... | 1 50 | 15 00 | |
| " Punicea | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| " Red Coral | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 5 in. pots..... | 1 50 | 15 00 | |
| " sinensis, Chinese Honeysuckle | | | |
| 18 to 24 in..... | 85 | 7 00 | |
| 5 in. pots..... | 1 50 | 15 00 | |
| " Sullivanti | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | |
| 3 to 4 ft..... | 1 25 | 10 00 | |
| Lycium barbarum, Matrimony Vine | | | |
| 18 to 24 in..... | 75 | 6 00 | |
| 2 to 3 ft..... | 85 | 7 00 | |
| 5 in. pots..... | 1 50 | 15 00 | |
| Menispermum canadense | | | |
| 2 year, strong..... | 1 50 | 12 00 | |
| Periwinkle, See Vinca minor | | | |
| Roses, Climbing, Creeping and Pillar (See Shrubs) | | | |
| Tecoma radicans, See Bignonia radicans | | | |
| Vitis heterophylla variegata | | | |
| 4 year | 1 25 | 10 00 | |
| 5 in. pots..... | 2 00 | 20 00 | |
| " cordifolia | | | |
| 2 to 3 ft..... | 1 25 | 10 00 | |
| " riparia | | | |
| 2 year | 1 75 | | |
| 5 in. pots..... | 2 50 | | |
| Wistaria frutescens, American Glycine .. | | | |
| 5 in. pots..... | 3 00 | | |
| " sinensis, Chinese Blue Wistaria | | | |
| 2 to 3 ft..... | 1 25 | | |
| 3 to 4 ft., heavy..... | 1 50 | | |
| 5 in. pots..... | 3 00 | | |
| " sinensis, Tree Form | | | |
| 3 to 4 ft..... | 2 50 | | |
| 4 to 5 ft..... | 3 00 | | |
| 5 to 6 ft..... | 4 00 | | |
| " sinensis alba, Chinese White Wistaria | | | |
| 18 to 24 in..... | 1 50 | | |
| 2 to 3 ft..... | 1 75 | | |
| 5 in. pots..... | 3 00 | | |

HARDY HERBACEOUS PERENNIALS, ORNAMENTAL GRASSES AND FERNS

Here is a splendid assortment of the very choicest hardy perennials for hardy gardens, borders and formal gardens.

Not small, weak, microscopic specimens, but strong, well rooted plants, capable of producing good, quick results.

"Results the first season" is our aim always, and the general satisfaction our stock is giving is conclusive proof of its superiority.

July to September, etc., indicates the period of flowering.

| | Per 10 | Per 100 |
|--|--------|---------|
| <i>Achillea millefolium roseum</i> , PINK YARROW, rose July to Sept. | 80 | 6 00 |
| " <i>Ptarmica plena</i> "The Pearl," double white, July..... | 80 | 6 00 |
| <i>Aegopodium podagraria variegata</i> , variegated foliage..... | 80 | 6 00 |
| <i>Agrostemma coronaria</i> , MULLIEN PINK, crimson, June..... | 1 00 | 8 00 |
| <i>Ajuga genevensis</i> , BUGLE, blue, May..... | 80 | 6 00 |
| <i>Alyssum argenteum</i> , yellow, May..... | 1 00 | 8 00 |
| " <i>saxatile compactum</i> , golden yellow, May..... | 80 | 6 00 |
| <i>Amsonia salicifolia</i> , blue, June..... | 1 00 | 8 00 |
| " <i>tabernaemontana</i> , clear blue, June | 1 00 | 8 00 |
| <i>Anchusa Italica</i> , dark blue, June to Sept..... | 1 00 | 8 00 |
| <i>Anemone Japonica alba</i> , WINDFLOWERS, white, Sept. to Nov.. | 1 00 | 8 00 |
| " <i>Japonica rosea</i> , rose, Sept. to Nov..... | 1 00 | 8 00 |
| " <i>Japonica</i> "Queen Charlotte," La France pink, Sept. to Nov..... | 1 00 | 8 00 |
| " <i>Japonica</i> "Whirlwind," white, Sept. to Nov..... | 1 00 | 8 00 |
| " <i>Japonica rubra</i> , red, Sept. to Nov..... | 1 00 | 8 00 |
| " <i>sylvestris</i> , white, April and May..... | 1 00 | 8 00 |
| <i>Anthemis tinctoria</i> , CHAMOMILE, yellow, July..... | 80 | 6 00 |
| <i>Anthericum liliastrum</i> , white, May | 80 | 6 00 |
| <i>Aquilegia Canadensis</i> , COLUMBINE, scarlet, May and June.... | 1 00 | 8 00 |
| " <i>caerulea</i> , blue and white, May..... | 1 00 | 8 00 |
| " <i>chrysantha</i> , yellow, June..... | 1 00 | 8 00 |
| " Erskne, PARK HYBRIDS, new, various colors, May..... | 1 00 | 8 00 |
| " <i>flabellata nana alba</i> , large white, June | 1 00 | 8 00 |
| " <i>Skinneri</i> , red and yellow, May..... | 1 00 | 8 00 |
| " <i>vulgaris</i> , blue and purple, May..... | 1 00 | 8 00 |
| " <i>vulgaris fl. pl.</i> , various, May..... | 1 00 | 8 00 |
| " <i>vulgaris alba</i> , white, May..... | 1 00 | 8 00 |
| <i>Arabis albida</i> , ROCK CRESS, white, April..... | 1 00 | 8 00 |
| <i>Armeria Lauchiana</i> , pink, May..... | 1 00 | 8 00 |
| " <i>maritima alba</i> , THRIFT, white, May..... | 1 00 | 8 00 |
| " <i>plantaginea</i> , pink, May..... | 1 00 | 8 00 |
| <i>Artemisia Abrotanum</i> , OLD MAN | 80 | 6 00 |
| " <i>pontica</i> , OLD WOMAN, silver foliage | 80 | 6 00 |
| <i>Asclepias tuberosa</i> , BUTTERFLY PLANT, orange, July..... | 1 00 | 8 00 |
| <i>Aster alpina</i> , bright purple, June and July..... | 80 | 6 00 |
| " <i>amethystinus</i> , large pale blue, Sept..... | 80 | 6 00 |
| " <i>Novae-Angliae</i> , purple | 80 | 6 00 |
| " <i>Novae-Angliae rosea</i> , rose, Sept. | 1 00 | 6 00 |
| " <i>Novi-Belgii Robert Parker</i> , pale blue, Sept..... | 1 00 | 8 00 |

| | Per 10 | Per 100 |
|--|--------|---------|
| " Novi-Belgii Top Sawyer , lavender, Sept..... | 1 00 | 8 00 |
| " Novi-Belgii White Queen , white, Sept..... | 1 00 | 8 00 |
| " ptarmicoides , white, July and August..... | 1 00 | 8 00 |
| " Pyrenaicus , white, July and August..... | 1 00 | 8 00 |
| " Tataricus , light purple, late fall..... | 80 | 6 00 |
| Baptisia Australis , FALSE INDIGO, blue, June..... | 1 00 | 8 00 |
| Belamcanda Chinensis , BLACKBERRY LILY, red orange, Aug. to Sept. | 75 | 5 00 |
| Bellis perennis , ENGLISH DAISY, various colors..... | 60 | 4 00 |
| Betonica orientalis , BETONY, pink, July..... | 80 | 6 00 |
| " rosea , dwarf, pleasing pink, July..... | 1 00 | 8 00 |
| Boltonia , glastifolia, white, August and Sept..... | 80 | 6 00 |
| " latisquama , STARWORT, pale pink, August to Sept..... | 80 | 6 00 |
| Campanula carpatica , BELLFLOWERS, blue, July to Sept..... | 1 00 | 8 00 |
| " carpatica alba , white, July and Sept..... | 1 00 | 8 00 |
| " glomerata , blue, June..... | 1 00 | 8 00 |
| " latifolia macrantha , blue, June..... | 1 00 | 8 00 |
| " medium , CANTERBURY BELLS, blue, May and June... | 1 00 | 8 00 |
| " medium alba , white, May, June..... | 1 00 | 8 00 |
| " medium calycanthema , blue, May, June..... | 1 00 | 8 00 |
| " persicifolia , blue, June and July..... | 1 00 | 8 00 |
| " persicifolia alba , white, June and July..... | 1 00 | 8 00 |
| " pyramidalis , blue, August..... | 1 00 | 8 00 |
| " pyramidalis alba , white | 1 00 | 8 00 |
| " rotundifolia , light blue, June | 80 | 6 00 |
| Cassia marylandica , SENNA, yellow, July and August..... | 80 | 6 00 |
| Centaurea dealbata , CORNFLOWERS, yellow, Aug. and Sept... | 1 00 | 8 00 |
| " macrocephala , yellow, July..... | 1 00 | 8 00 |
| " montana , blue, June and July..... | 1 00 | 8 00 |
| " ruthenica , pink and white, July..... | 1 00 | 8 00 |
| Cerastium , Biebersteinii, white, April and May..... | 80 | 6 00 |
| " tomentosum , SNOW IN SUMMER. MOUSE EAR, white, April and May | 80 | 6 00 |
| Chrysanthemums , hardy | 1 00 | 8 00 |

LIST OF HARDY CHRYSANTHEMUMS


| | Size of Flower | Color | Height |
|----------------------|----------------|---------------------------|--------|
| A. Neilson | Large | Pink | Tall |
| Autumn Queen | Large | Rosy pink | Medium |
| Baby | Button | Yellow | Dwarf |
| Brown Bessie | Button | Beautiful brown | Medium |
| Eagle d'Or | Medium | Good, clear yellow | Tall |
| Edna | Medium | Glowing pink | Dwarf |
| Flora | Small | Golden yellow | Dwarf |
| Fremy | Large | Terra Cotta | Medium |
| Fire Ball | Medium | Yellow, tipped crimson | Medium |
| Golden Mlle. Martha | Small | Clear orange yellow | Tall |
| Golden Pheasant | Small | Rich Yellow | Medium |
| Goldfinch | Small | Gold, shaded crimson | Tall |
| Julia Lagravere | Large | Rich maroon | Tall |
| Kadar | Medium | Mottled crimson, garnet | Dwarf |
| Ladysmith | Medium | Rosy lake, tinged salmon | Tall |
| L'Ami Conderschlerdt | Small | Sulphur white | Dwarf |
| La Favorite | Small | Rosy pink, shaded white | Medium |
| Little Pet | Small | Claret, perfect form | Tall |
| Lovely | Small | Bright pink | Tall |
| Model | Small | Round, full white | Tall |
| Mrs. Snyder | Large | Rich yellow | Medium |
| Mrs. Vincent | Large | Magenta | Tall |
| Nellie Rainsford | Small | Orange salmon, tipped red | Dwarf |
| President | Large | Deep, violet rose | Tall |
| Prince Victor | Large | Brownish red | Tall |
| Souer Melaine | Large | Fine pure white | Medium |
| St. Illoria | Large | Glorious silvery pink | Tall |
| Strathmeath | Large | Clear pink | Medium |
| Stratagem | Large | Crimson, shaded gold | Tall |
| Sunset | Medium | Single, reddish brown | Medium |

| | Per 10 | Per 100 |
|---|--------|---------|
| <i>Clematis Davidiana</i> , BUSH CLEMATIS, blue, August..... | 1 25 | 10 00 |
| " <i>recta</i> , white, July | 1 50 | 12 00 |
| <i>Convallaria majalis</i> , LILY OF THE VALLEY, white, spring, clumps | 2 00 | 15 00 |
| <i>Coreopsis lanceolata grandiflora</i> , TICKSEED, golden yellow, summer | 80 | 6 00 |
| " <i>senifolia</i> , yellow, July..... | 80 | 6 00 |
| <i>Coronilla varia</i> , CROWN VEITCH, pink, June to Aug..... | 80 | 6 00 |
| <i>Delphinium Chinense</i> , CHINESE LARKSPUR, blue and white, June to August..... | 1 00 | 8 00 |
| " <i>elatum</i> , English Hybrids, TALL LARKSPUR, shades of blue, June to Aug..... | 1 00 | 8 00 |
| " <i>formosum</i> , Indigo, July..... | 1 00 | 8 00 |
| <i>Dianthus barbatus</i> , SWEET WILLIAM, many colors, May and June | 80 | 6 00 |
| " Lord Lyons, GARDEN PINKS, deep pink, May and June.. | 1 00 | 8 00 |
| " <i>variabilis</i> , white, maroon mark, May and June..... | 1 00 | 8 00 |
| <i>Dicentra spectabilis</i> , BLEEDING HEART, pink, April and May.. | 1 00 | 8 00 |
| <i>Dictamnus fraxinella</i> , GAS PLANT, red, June..... | 2 00 | 15 00 |
| " <i>fraxinella alba</i> , white, June..... | 2 00 | 15 00 |
| <i>Digitalis grandiflorus</i> , FOXGLOVE, yellow, June to July..... | 1 00 | 8 00 |
| " <i>lanata</i> , greyish, June and July..... | 1 00 | 8 00 |
| " <i>purpurea</i> , purple, May and June..... | 1 00 | 8 00 |
| " <i>purpurea alba</i> , white, May and June..... | 1 00 | 8 00 |
| <i>Doronicum plantagineum excelsum</i> , LEOPARD'S BANE, yellow, April to June | 1 00 | 8 00 |
| <i>Echinacea purpurea</i> , CONE FLOWER, pink, July..... | 1 00 | 8 00 |
| <i>Eryngium amethystinum</i> , SEA HOLLY, blue, July..... | 1 00 | 8 00 |
| <i>Eupatorium ageratoides</i> , HARDY AGERATUM, white, Sept.... | 1 00 | 8 00 |
| <i>Euphorbia corollata</i> , SPURGE, white, Sept..... | 1 00 | 8 00 |
| <i>Funkia caerulea</i> PLANTAIN LILIES, blue, July..... | 80 | 5 00 |
| " <i>aurea variegata</i> , variegated foliage..... | 80 | 6 00 |
| " <i>cordifolia</i> , blue, August..... | 80 | 6 00 |
| " <i>Japonica</i> , blue, August | 80 | 6 00 |
| " <i>lancifolia</i> , blue, July..... | 80 | 6 00 |
| " <i>ovata</i> , marginata, variegated foliage | 80 | 6 00 |
| " <i>subcordata grandiflora</i> , white, August..... | 1 00 | 8 00 |
| " <i>undulata variegata</i> , white foliage | 1 00 | 8 00 |
| <i>Gaillardia grandiflora</i> , BLANKET FLOWER, yellow and crim- son | 80 | 6 00 |
| " <i>grandiflora compacta</i> , yellow and crimson, July to Sept.. | 80 | 6 00 |
| <i>Geum coccineum</i> , scarlet, June and July..... | 1 00 | 8 00 |
| " <i>Heldrichii</i> , orange, June and July..... | 1 00 | 8 00 |
| <i>Gypsophila cerastioides</i> , white, June..... | 1 00 | 8 00 |
| " <i>paniculata</i> , BABY'S BREATH, white, July and Aug..... | 1 00 | 8 00 |
| " <i>repens</i> , white, May to July..... | 1 00 | 8 00 |
| " <i>Stevensii</i> , white, June and July..... | 1 00 | 8 00 |
| <i>Helenium autumnale superbum</i> , SNEEZEWORT, clear yellow, August | 1 00 | 8 00 |
| " <i>autumnale superbum rubrum</i> , red, August..... | 1 00 | 8 00 |
| " <i>grandicephalum striatum</i> , yellow striped with brown, Aug. | 1 00 | 8 00 |
| " <i>Hoopesii</i> , orange, May..... | 1 00 | 8 00 |
| <i>Helianthus decapetalus multiflorus</i> Soliel d'Or, double yellow, Aug. and Sept..... | 1 00 | 8 00 |
| " <i>doronicoides</i> , yellow, July and August..... | 80 | 6 00 |
| " <i>giganteus</i> , yellow, August and Sept..... | 80 | 6 00 |
| " <i>laetiflorus</i> , yellow, August and Sept..... | 80 | 6 00 |
| " <i>Maximilliana</i> , yellow, Sept. and Oct..... | 80 | 6 00 |
| " <i>mollis</i> , yellow, September..... | 80 | 6 00 |
| " <i>orgyalis</i> , yellow, September..... | 80 | 6 00 |
| " <i>rigidus</i> Miss Mellish, yellow, August..... | 80 | 6 00 |
| <i>Heliopsis Pitcheriana</i> , orange, June to August..... | 80 | 6 00 |
| <i>Hemerocallis Dumortierii</i> , DAY LILIES, orange, June..... | 1 00 | 8 00 |
| " <i>flava</i> , lemon yellow, June..... | 1 00 | 8 00 |

| | Per 10 | Per 100 |
|--|--------|---------|
| " <i>fulva</i> , bronze, August..... | 80 | 6 00 |
| " <i>fulva</i> fl. pl., bronze double, August..... | 80 | 6 00 |
| " <i>rutilans</i> orange, May and June..... | 1 00 | 8 00 |
| " <i>Thunbergii</i> , yellow, July and August..... | 1 00 | 8 00 |
| <i>Heuchera sanguinea</i> , ALUM ROOT, red, May..... | 1 00 | 8 00 |
| <i>Hibiscus</i> Crimson Eye..... | 80 | 6 00 |

Meehans' Mallow Marvells

The most remarkable creation of the day. Hardy in Canada. Thrives as well there as it does in the South. A plant for all sections of the country. Individual blooms are as large as ten inches across. Plants labeled to color as they flower. Every plant sold true to color. See colored plate, last page of cover.



Prices:

CRIMSON MARVEL
RED MARVEL
PINK MARVEL

| | Per 10 | Per 100 |
|----------------------|--------|---------|
| Strong 2 year roots, | \$2.50 | \$25.00 |
| Strong 3 year roots, | \$4.00 | \$40.00 |

| | Per 10 | Per 100 |
|---|--------|---------|
| Hollyhock, double, separate colors, June to August..... | 1 00 | 8 00 |
| <i>Hyacinthus candicans</i> , SUMMER HYACINTH, white, August... | 25 | 2 00 |
| <i>Iberis semper-virens</i> , CANDYTUFT, white, April..... | 80 | 6 00 |
| <i>Inula Helenium</i> , ELECAMPANE, yellow, July..... | 1 00 | 8 00 |
| <i>Iris Cengialti</i> , deep lavender, May and June..... | 80 | 6 00 |
| " <i>florentina</i> , ORRIS ROOT, white, May..... | 80 | 6 00 |
| " <i>Germanica</i> , GERMAN IRIS, best assortment of varieties. | 80 | 6 00 |

LIST OF IRIS GERMANICA.

ALEXANDER VON HUMBOLDT, Light blue self.
CANARY BIRD, Canary yellow self.
COELESTINE, Pretty lavender self.
JOSEPHINE, The best dark purple.
LADY FRANCES, Delicate lavender.
LADY STUMPP, Standards lavender, falls blue.
MADAME CHEREAU, White, penciled blue on edges.
MARIE, Standards lavender, falls darker.
PENELOPE, Standards blue, falls darker.
PURPUREA, Rich purple.
ROSAMOND, Standards lavender buff, falls purple.
SILVER KING, Silvery white self.

| | | |
|--|------|-------|
| <i>Iris laevigata</i> (Kaempferi), JAPANESE IRIS, in fine assorted named kinds, July | 1 50 | 10 00 |
| " <i>ochroleuca gigantea</i> , sulphur yellow..... | 80 | 6 00 |
| " <i>prismatica</i> , RAINBOW IRIS, white, tinted various colors, June | 1 00 | 8 00 |
| " <i>pseud-acorus</i> , yellow, May | 80 | 6 00 |
| " <i>pumila</i> , DWARF IRIS, Various, April..... | 80 | 6 00 |
| " <i>Siberica orientalis</i> , SIBERIAN IRIS, indigo blue, June.... | 1 00 | 8 00 |
| " <i>stenophylla</i> , blue, June | 80 | 6 00 |
| <i>Lamium purpureum variegatum</i> , pink, May..... | 80 | 6 00 |
| <i>Lathyrus grandiflorus</i> , PERENNIAL PEA, pink and white, June to August | 1 50 | 12 00 |
| <i>Lavandula spica</i> , SWEET LAVENDER, July and August..... | 1 00 | 8 00 |

| | Per 10 | Per 100 |
|--|--------|---------|
| <i>Liatris pycnostachia</i> , BLAZING STAR, purple, August and Sept. | 80 | 6 00 |
| “ <i>spicata</i> , purple, Aug. and Sept. | 80 | 6 00 |
| <i>Lilium auratum</i> , Gold-banded lily of Japan, white spotted, July.. | 2 00 | 15 00 |
| “ <i>Batemanii</i> , reddish orange, July and August. | 2 00 | 15 00 |
| “ <i>elegans</i> , yellow, July and August. | 2 00 | 15 00 |
| “ <i>speciosum album</i> , white, August and Sept. | 2 50 | 20 00 |
| “ <i>speciosum roseum</i> , rose, August and Sept. | 2 00 | 15 00 |
| “ <i>superbum</i> , orange red, July and August. | 1 50 | 12 00 |
| “ <i>tigrinum splendens</i> , TIGER LILY, orange spotted, Aug.. | 1 50 | 12 00 |
| Our lilies are potted. Not dried or partially decayed bulbs through being kept out of the ground all winter. | | |
| <i>Linum perenne</i> , FLAX, blue, June. | 80 | 6 00 |
| <i>Lobelia cardinalis</i> , CARDINAL FLOWER, scarlet, Aug. and Sept. | 1 00 | 8 00 |
| <i>Lotus corniculatus</i> TREFOIL, yellow, June to Oct. | 80 | 6 00 |
| <i>Lychnis chalcedonica</i> , SCARLET LIGHTENING, scarlet, July.. | 80 | 6 00 |
| “ <i>Flos-cuculi</i> , RAGGED ROBIN, red, May. | 80 | 6 00 |
| “ <i>viscaria splendens</i> , CATCH FLY, red, July. | 80 | 6 00 |
| <i>Lysimachia clethroides</i> , LOOSESTRIFE, white, July to Sept... | 80 | 6 00 |
| <i>Lythrum salicaria</i> , purple, June and July. | 80 | 6 00 |
| “ <i>Japonicum elatum</i> , purplish red, June and July. | 80 | 6 00 |
| “ <i>roseum superbum</i> , purple, June and July. | 1 00 | 8 00 |
| <i>Monarda didyma splendens</i> , BERGAMOT, scarlet, Aug. to Sept. | 80 | 6 00 |
| “ <i>fistulosa alba</i> , white, Aug. and Sept. | 80 | 6 00 |
| “ <i>fistulosa purpurea</i> , purple, Aug. and Sept. | 80 | 6 00 |
| “ <i>mollis</i> , pink, Aug. and Sept. | 1 25 | 10 00 |
| <i>Myosotis palustris semperflorens</i> , “FORGET-ME-NOT,” blue, April and May. | 1 00 | 8 00 |
| <i>Nepeta Glechoma variegata</i> , GROUND IVY, blue, April and May | 50 | 4 00 |
| <i>Oenothera Missouriensis</i> , EVENING PRIMROSES, yellow, July and August | 80 | 6 00 |
| “ <i>speciosa</i> , large white, June and July. | 80 | 6 00 |
| “ <i>Youngii</i> , yellow, June to Sept. | 80 | 6 00 |
| <i>Pachysandra terminalis</i> , evergreen, whitish, May. | 1 25 | 10 00 |
| <i>Paeonia Moutan</i> , TREE PAEONIA. | 7 50 | |
| “ <i>officinalis alba fl. pl.</i> , early white | 2 00 | 15 00 |
| “ <i>officinalis rubra fl. pl.</i> early crimson. | 2 00 | 15 00 |
| “ <i>Alice</i> , bright rose, changing to white. | 1 50 | 12 00 |
| “ <i>Andre Lauris</i> , dark rose. A good standard variety. | 1 50 | 12 00 |
| “ <i>Delicatissima</i> , delicate pink, fragrant. | 3 00 | 25 00 |
| “ <i>Duke of Orleans</i> , double. Maroon Crimson. | 3 00 | 25 00 |
| “ <i>Duke of Wellington</i> , blush, bud centre, fragrant. | 1 50 | 12 00 |
| “ <i>Edulis superba</i> , violet rose | 1 50 | 12 00 |
| “ <i>Festiva Maxima</i> , pure white. Very double. | 1 50 | 12 00 |
| “ <i>General Grant</i> , deep pink, very large flowers. | 3 00 | 25 00 |
| “ <i>General Schofield</i> , deep rose, full flower. | 1 50 | 12 00 |
| “ <i>Jean d'Arc</i> , rosy pink, shaded white. | 1 50 | 12 00 |
| “ <i>Leslie</i> , crimson pink, inner petals tipped lighter. | 3 00 | 25 00 |
| “ <i>Mrs. Fletcher</i> , rosy pink, edged white. | 2 50 | 20 00 |
| “ <i>Mrs. Pleas</i> , purplish rose with straw and white centre. | 3 00 | 25 00 |
| “ <i>Nobilissima</i> , glowing pink, late. | 1 50 | 12 00 |
| “ <i>Odorata</i> , yellowish white | 1 50 | 12 00 |
| “ <i>Pulcherrima alba</i> , pure white | 1 50 | 12 00 |
| “ <i>Reine des Francais</i> , outer petals rose color, straw centre. | 2 50 | 20 00 |
| “ <i>Robert Burns</i> , rose-tipped, white | 1 50 | 12 00 |
| “ <i>Sapho</i> , dark red | 1 50 | 12 00 |
| <i>Papaver nudicaule</i> , ICELAND POPPIES, white, yellow and orange | 1 00 | 8 00 |
| “ <i>Orientele</i> , ORIENTAL POPPIES, crimson, June. | 1 00 | 8 00 |
| <i>Pentstemon barbatus hybridus</i> , various, June. | 80 | 6 00 |
| “ <i>diffusus</i> , blue, June. | 80 | 6 00 |
| “ <i>digitalis</i> , BEARDED TONGUE, white, July. | 80 | 6 00 |
| <i>Phlox amoena</i> , pink, April. | 80 | 6 00 |
| “ <i>decussata</i> , best assortment of varieties. | 1 00 | 9 00 |

LIST OF VARIETIES OF GARDEN PHLOX.

CARRAN DE ACHE. Rosy carmine.
 CHAMPS ELYSEES. Rich purplish crimson.
 COQUELICOT. Fine pure scarlet, with deep carmine eye.
 EPOPEE. Violet, bright fiery center.
 EUGENE DANZANVILLIERS. Lilac, shading white.
 INDEPENDENCE. Large pure white.
 LA VAGUE. Beautiful combination of rosy pink and lavender.
 L'EVENEMENT. Salmon pink.
 L'ESPERANCE. Bright lilac.
 MAD. P. LANGIER. Bright red, vermillion centre.
 PRINCESS LOUISE. White, small pink eye.
 QUEEN. Pure white.
 RICHARD WALLACE. White, crimson center.
 WILLIAM ROBINSON. Tall, salmon pink.

| | Per 10 | Per 100 |
|--|--------|---------|
| Phlox subulata rosea, CREEPING PHLOX, pink, April and May. | 80 | 6 00 |
| “ subulata “Sadie,” lavender, April and May..... | 80 | 6 00 |
| Physostegia denticulata, lilac, July and Aug..... | 80 | 6 00 |
| “ Virginica, OBEDIENT PLANT, lilac, Aug. and Sept..... | 80 | 6 00 |
| “ Virginica alba, white, Aug. and Sept..... | 1 00 | 8 00 |
| Plantago maxima, GIANT PLANTAIN, white, July..... | 1 00 | 8 00 |
| Platycodon grandiflora, JAPANESE BELLFLOWERS, blue, July to October | 1 00 | 8 00 |
| “ grandiflora album, white, July to Oct..... | 1 00 | 8 00 |
| “ Mariesii, blue, dwarf, July to Oct..... | 1 00 | 8 00 |
| Polemonium reptans, JACOB'S LADDER, blue, May..... | 80 | 6 00 |
| “ Richardsoni, blue, May | 80 | 6 00 |
| Polygonum cuspidatum, white, August, Sept..... | 80 | 6 00 |
| Primula polyanthus, various, April..... | 80 | 6 00 |
| “ veris elatus, various, April | 80 | 6 00 |
| Pyrethum Balsamita, COSTMARY, fragrant foliage..... | 80 | 6 00 |
| “ roseum, shades of pink and red, May and June..... | 1 00 | 8 00 |
| “ uliginosum OXEYE DAISY, white, Aug. and Sept..... | 80 | 6 00 |
| Ranunculus acris fl. pl., DOUBLE BUTTERCUP, golden yellow, May and June | 60 | 5 00 |
| Rudbeckia fulgida, BLACK EYED SUSAN, golden yellow, July and August | 80 | 6 00 |
| “ laciniata, GOLDEN GLOW, Yellow, Aug. and Sept..... | 80 | 6 00 |
| “ Newmanni, BLACK EYED SUSAN, golden yellow, July and August | 80 | 6 00 |
| “ sub-tomentosa, golden yellow, July and August..... | 80 | 6 00 |
| Salvia azurea grandiflora, blue, Aug..... | 1 00 | 8 00 |
| “ nutans, blue, June and July..... | 1 00 | 8 00 |
| Sanguinaria canadensis BLOOD ROOT, white, April and May... | 60 | 4 00 |
| Santolina Incana, LAVENDER COTTON..... | 80 | 6 00 |
| Saponaria officinalis, BOUNCING BET, pinkish white, Aug. and September | 80 | 6 00 |
| “ ocymoides, white, May and June..... | 1 00 | 8 00 |
| Sedum album, STONECROPS, white, Aug. and Sept..... | 80 | 6 00 |
| “ Hispanicum, pink, June and July..... | 80 | 6 00 |
| “ hybridum, yellow, July and Sept..... | 80 | 6 00 |
| “ Kamptschaticum, yellow, July and Sept..... | 80 | 6 00 |
| “ sexangulare, yellow, June and July..... | 80 | 6 00 |
| “ spectabilis, pink, Aug. and Sept..... | 1 00 | 8 00 |
| Sisyrinchium Bermudianum, STAR GRASS, blue, May..... | 80 | 6 00 |
| Spiraea astilboides, white, May..... | 1 00 | 8 00 |
| “ filipendula fl. pl., white, May..... | 1 00 | 8 00 |
| “ Japonica, white, May..... | 1 00 | 8 00 |
| “ lobata-venusta, pink, June..... | 1 00 | 8 00 |
| “ multiflora compacta, white, May and June..... | 1 00 | 8 00 |
| “ palmatum, pink, June | 1 00 | 8 00 |
| “ ulmaria alba plena double white, June and July..... | 80 | 6 00 |
| Statice latifolia, SEA LAVENDER, August..... | 1 00 | 8 00 |
| “ Gmelini, lavender, August..... | 1 00 | 8 00 |
| Stokesia cyanea, STOKES' ASTER, blue, July to Sept..... | 80 | 6 00 |

| | Per 10 | Per 100 |
|--|--------|---------|
| <i>Thalictrum adiantifolium</i> , MEADOW RUES, handsome foliage.. | 1 00 | 8 00 |
| “ <i>aquilegifolium roseum</i> , pink, June | 1 00 | 8 00 |
| “ <i>glaucum</i> , handsome foliage..... | 1 00 | 8 00 |
| <i>Thermopsis Caroliniana</i> , yellow, June..... | 1 00 | 8 00 |
| <i>Thymus Seaphyllum variegata</i> , variegated foliage..... | 80 | 6 00 |
| “ <i>vulgaris</i> , pink | 80 | 6 00 |
| <i>Tradescantia Virginica</i> , SPIDER WORT, blue, May to July..... | 80 | 6 00 |
| “ <i>Virginica alba</i> , white, May, July..... | 80 | 6 00 |
| “ <i>Virginica purpureum</i> , purple, May to July..... | 1 00 | 8 00 |
| <i>Tritoma uvaria</i> , RED-HOT-POKER | 1 25 | 10 00 |
| “ <i>uvaria grandiflora</i> , red and yellow, August..... | 1 00 | 8 00 |
| “ <i>uvaria Pfitzeri</i> , coral, July to Oct..... | 1 00 | 8 00 |
| <i>Valeriana officinalis</i> , VALERIAN, pinkish, May and June..... | 1 00 | 8 00 |
| <i>Vernonia Jamesii</i> , IRON WEED, purple, Aug. and Sept..... | 1 00 | 8 00 |
| <i>Veronica candida</i> , SPEEDWELL, silvery foliage, blue flowers, June and July | 80 | 6 00 |
| “ <i>circaeoides</i> , blue, June..... | 80 | 6 00 |
| “ <i>Hendersoni</i> (<i>longifolia subsessilis</i>), blue, August..... | 1 00 | 8 00 |
| “ <i>Montana</i> , blue, June and July..... | 80 | 6 00 |
| “ <i>teucrium</i> , blue, June..... | 80 | 6 00 |
| “ <i>Virginica</i> , white, July and August..... | 1 00 | 8 00 |
| <i>Viola</i> , “ <i>Californian</i> ” | 1 00 | 8 00 |
| “ <i>odorata Blue</i> , SWEET VIOLET, April and May..... | 1 00 | 8 00 |
| “ <i>odorata White</i> , April and May | 1 00 | 8 00 |
| “ <i>odorata “Czar,”</i> double blue, April and May..... | 1 00 | 8 00 |
| <i>Vinca minor</i> , Periwinkle, blue, 6 to 8 in., field grown..... | 65 | 5 00 |
| “ <i>minor</i> , Periwinkle, blue, 3 in. pots..... | 75 | 6 00 |

Hardy Ferns

| | | |
|---|------|-------|
| <i>Aspidium acrostichoides</i> , CHRISTMAS FERN | 80 | 6 00 |
| “ <i>cristatum</i> , CRESTED SHIELD FERN | 80 | 6 00 |
| “ <i>marginale</i> , MARGINAL FERN | 80 | 6 00 |
| “ <i>spinulosum</i> | 80 | 6 00 |
| “ <i>Thelyptera</i> , LADY FERN | 80 | 6 00 |
| <i>Asplenium angustifolium</i> , NARROW-LEAVED SPLEENWORT.. | 80 | 6 00 |
| <i>Onoclea sensibilis</i> , SENSITIVE FERN | 80 | 6 00 |
| “ <i>Struthiopteris</i> , OSTRICH FERN | 80 | 6 00 |
| <i>Osmunda cinnamomea</i> , CINNAMON FERN | 1 00 | 8 00 |
| “ <i>Claytoniana</i> , FLOWERING FERN | 1 00 | 8 00 |
| “ <i>regalis</i> , KING FERN | 1 50 | 12 00 |
| <i>Polypodium hexagonopterum</i> | 60 | 5 00 |
| “ <i>vulgare</i> , ROCK POLYPOD | 60 | 5 00 |
| <i>Pteris aquilina</i> , BRAKE or BRACKEN | 60 | 5 00 |

Hardy Grasses

| | | |
|---|------|-------|
| <i>Arrhenatherum bulbosum</i> . A fine dwarf variegated grass. Use- ful for edging | 80 | 5 00 |
| <i>Arundo donax</i> , GIANT REED..... | 2 50 | |
| <i>Bambusa Metake</i> , EVERGREEN BAMBOO..... | 2 50 | |
| <i>Calamagrostis stricta variegata</i> | 80 | 6 00 |
| <i>Eulalia Japonica</i> , FALSE PAMPAS GRASS..... | 2 00 | 15 00 |
| “ <i>Japonica gracillima</i> | 2 00 | 15 00 |
| “ <i>Japonica variegata</i> , green and white striped..... | 2 00 | 15 00 |
| “ <i>Japonica Zebrina</i> , green barred with bronze, yellow..... | 2 00 | 15 00 |
| <i>Uniola latifolia</i> , a pretty grass with plumes, useful for vases.... | 1 00 | 8 00 |

MEEHANS' MALLOW MARVELS

Few new plants introduced in recent years have created as great a sensation as Meehans' Mallow Marvels.

It is the ambition of all horticulturalists to produce something that excels, something larger and better than has been grown before, but it can only be accomplished by those who have a great amount of patience, as the process is slow and more frequently ends in disappointment rather than success.

Several years ago, the late Thomas Meehan suggested the possibility of hybridizing the southern crimson-flowered mallow, which is not hardy in the North, with the white-flowered swamp mallow so common in New Jersey, and his suggestion was followed out.

Out of the first lot of seedlings produced by this cross-breeding, one seedling bore a dazzling brilliant scarlet flower. The plant was left out all winter without protection and the original plant is still growing in the nursery.

The flowers of this one plant were again hybridized as before, and again the seedlings from this plant produced a number of seedlings with various colored flowers. The best of these were saved and recrossed. This process was continued from year to year for some five or six years until a permanent strain of plants, some with crimson, some with red, and some with pink flowers, was produced. The beauty of these flowers can scarcely be described and even the colored plate fails to properly show their great beauty. Single plants set out on the lawn, in the garden, or among shrubbery beds, will create wide attention, but the greatest sensation is made when a number of plants of mixed colors are set in a bed by themselves.

Plants have been sent to various sections of the country and their hardiness fully proven. From Maine to California, from Canada to the far South. They thrive in every section.

They will grow and bloom in any soil, but do best in a rich, moist soil. They like plenty of water, but they should not be planted in a swamp where the water lies around the roots.

Flowers produced on plants which are in the most thrifty condition will measure twelve inches in diameter. They commence to bloom about the first of August and continue with a succession of flowers until frost.

The plants are of herbaceous character, dying to the ground every fall, but sprouting up again the following spring, stronger than ever. In rich soil, with plenty of moisture, a three-year-old plant will produce stems six to eight feet in height in one year.



MEEHANS' MALLOW MARVELS MOST BRILLIANT NEW PRODUCTION OF SCIENTIFIC PLANT BREEDING

Immense flowers from eight to ten inches in diameter, in fiery crimson, rich blood-red and soft shell-pink. Their great beauty is indescribable. Meehans' Mallow Marvels surpass all other perennials in profuseness of bloom, flowering propensities and brilliancy of color. From late July until October frosts arrive, the flowers continue to appear in profusion. Absolutely hardy, the Mallow Marvels have been tested, and are thriving in Canada and in the mountain portions of the northern states as successfully as in Georgia and Florida. Of herbaceous character, they come up year after year under varied conditions.